



Zintra Cloud Warp Installation Instructions


FINISHED ASSEMBLY



PARTS LIST

(14) ZINTRA BLADES MARKED 1-8







ADJUSTABLE FASTENER




HANGER BOLTS




Zintra Cloud Warp


Installation Instructions


STEP 1





STEP 2








Zintra Cloud Warp


Installation Instructions

STEP 3

Once the pre-drilled suspension holes have been located on the notched profile pieces, template suspension hole locations to the ceiling substrate




STEP 4



Install the 1/4"-20 hanger bolts to the substrate. The supplied hanger bolts are intended for use in wood only. For other substrates the installer will need to source the appropriate hardware.

STEP 5



Feed swaged wire through tip of 'wire adjuster' (as shown). Push button (shown in grey) to adjust wire length. Release the button to lock in place.

STEP 6




Insert the plain end of the cable through one side of the adjustable fastener. Loop the wire through the hole in the mounting profile and around the edge of the mounting profile at the predetermined locations. Re-insert the plain end of the cable through the remaining side of the adjustable fastener.




Zintra Cloud Warp Installation Instructions

STEP 7



Re-adjust wire length as explained in STEP 5 until you are satisfied with the hanging height.

STEP8



Once the Cloud is properly suspended, trim the excess cable. The cable is adjustable by depressing tab on appropriate side.