



# **Beautiful Spaces**

Create spaces that look good and sound good.

Zintra's Acoustic Solutions for walls and ceilings enhance the aesthetics of indoor spaces while delivering superior acoustic performance. Available in a wide range of colors, sizes, and fabrication options, Zintra is easy to configure, quick to ship, and simple to install.



Superior acoustics



Sustainable



Lightweight



Easy installation



Seamless application



Digitally printable



## Contents

#### 2 Capabilities

- 4 Building a Sustainable Future
- 6 Superior Acoustics
- 9 Your Acoustic Partner
- 10 Color Never Sounded So Good

#### 20 Zintra Print

- 22 Premium Wood
- 26 Premium Material
- 30 Zintra Print Art
- 38 Zintra Print Color
- 40 Studio Colors
- 41 Spirit Colors

#### 42 Zintra Panels

- 44 1/2" Acoustic Panel
- 45 1" Acoustic Panel
- 46 3D Panel
- 50 Emboss Panel
- 58 Layers Panel
- 62 Pattern Panel
- 70 Etch Panel
- 78 Organic Etch Panel
- 84 Texture Panel
- 88 Sculpted Panel

## 92 Ceiling Features

- 94 Clouds
- 100 Shapes
- 104 Emboss Ceiling Tiles

#### 108 Baffles

- 110 Baffle Systems
- 116 Box Baffles
- 120 Mesh Baffles
- 128 Beams
- 134 Connect

#### 140 Acoustic Sticks

- 142 Sticks Bundles
- 146 Sticks Corner
- 148 Sticks Transition
- 150 Sticks Trim
- 156 Independent Sticks
- 160 Quadratic Sticks
- 164 Double Sided Sticks
- 168 Curved Sticks

#### 172 Tiles

- 174 Plain Tiles
- 180 Box Tiles
- 188 Etch Tiles
- 196 Pattern Tiles

### 204 Hardware

- 206 Floor To Ceiling Screens
- 208 Sliding Screens
- 210 Hardware Options
- 214 Powder Coat Colors



# Building a Sustainable Future

We are dedicated to ongoing investment in innovative technologies and materials that pave the way for a sustainable future.

Made from 100% recyclable materials and certified by Declare, GREENGUARD, and HPD, Zintra stands out as the perfect material for the green buildings of today and tomorrow, with its ability to reduce noise levels, minimize indoor air pollutants, and a Class A fire rating.

Our commitment to the environment goes hand in hand with our dedication to human well-being and thoughtfully designed spaces that promote health and comfort.

# Made from 100% recyclable materials

Post-Consumer recycled content from PET bottles

Pre-Consumer recycled content from PET chips

**5%** PLA- a bio-based material



Low-levels of volatile organic compounds



Contains no formaldehyde



Global Recycling Standard















## **Superior Acoustics**


Hybrid working, collaborative learning and evolving social dynamics have driven the need for adaptable open spaces. These spaces often come with poor acoustics, which make it hard to communicate and difficult to concentrate.


The properties of a space - its dimensions, the materials used, and how they are applied - define how sound is transmitted.

The ability of a material to absorb sound is critical to good acoustics, which is calculated as the Noise Reduction Coefficient (NRC), Sound Absorption Average (SAA), and Weight Sound Absorption Average (aw). Our products are independently tested by third-party test labs that have been certified by The American Society for Testing and Materials (ASTM) and by the International Standards Organization (ISO).

Zintra products have been tested according to ASTM C423-17 and received NRC ratings ranging from 0.45 – 1.10, depending on its depth, shape and the distance it's installed from a surface.

Frequency/Hz		100	125	160	200	250	315	400	500	630	800	1000	1250	1600	2000	2500	3150	4000	SAA	NRC	ā	
zintra ½"		0"	0.03	0.01	0.090	0.04	0.05	0.09	0.12	0.25	0.32	0.49	0.61	0.72	0.82	0.85	0.91	0.94	0.95	0.44	0.45	0.30
		2"	0.20	0.16	0.22	0.32	0.46	0.56	0.63	0.80	0.89	1.03	1.04	0.99	1.07	1.00	0.93	0.87	0.92	0.81	0.85	0.75
	WALL		0.29	0.46	0.44	0.57	0.69	0.81	0.97	0.96	0.91	1.04	0.92	0.80	0.94	0.94	0.91	0.90	0.91	0.87	0.90	0.95
	W W	12"	0.22	0.22	0.34	0.66	0.73	0.83	0.96	0.91	0.84	0.89	0.98	0.97	1.06	1.13	1.17	1.21	1.21	0.93	0.95	0.95
	E FROM																					
	DISTANCE	0"	0.01	0.04	0.13	0.61	0.77	0.77	0.92	0.98	1.04	1.09	1.00	0.97	0.97	0.96	0.93	1.00	0.99	0.75	0.75	0.60
'a 1"	SIQ		0.25	0.36	0.42	0.66	0.69	0.77	0.88	0.99	0.90	0.92	0.86	0.90	0.97	1.00	0.97	0.99	1.00	0.92	0.95	0.95
zintra		6"	0.17	0.12	0.34	0.38	0.63	0.83	0.91	1.10	1.14	1.13	1.06	1.02	1.13	1.14	1.15	1.18	1.14	0.97	1.00	0.90
		12"	0.21	0.26	0.39	0.71	0.77	0.95	0.94	0.93	0.91	1.07	1.19	1.13	1.18	1.21	1.22	1.26	1.25	1.02	1.00	1.00







## **Your Acoustic Partner**

#### **Acoustic Consulting Services**

Leverage the expertise of our skilled in-house acoustic consultancy to develop creative and quality acoustic solutions tailored to the specific acoustic demands of your space.

(In-house acoustician

Expert

Guidance

Tailored Solutions

Innovation and Creativity

## **Project Customization**

The Zintra Acoustic Solutions range is fully customizable to meet your design requirements, providing flexibility for any project. Our experienced team of specialist designers, project managers and production are ready to guide you through the process to deliver the best outcomes for your project.

Customization

Branding Opportunities

Bespoke Design



Expert Support

## **Enhanced Project Execution** with Work Shop Drawings

Our Work Shop Drawings (WSDs) deliver accuracy and clarity, ensuring manufacturing is precise to specifications and streamlines production with clear guidelines to enhance efficiency. Serving as a quality control benchmark, WSDs guarantee that each project detail meets the highest standards. Additionally, our adherence to industry standards and regulations with our WSDs helps you navigate compliance smoothly and avoid potential issues.

Clarity and Precision

Streamlined

Production

Control

Regulatory Compliance

Quality

#### **Acoustic Solutions for Diverse Applications**


Zintra Acoustic Solutions offers a wide range of products and designs including Panels, Screens, Tiles, Ceiling Baffles and features for various industries including Commercial, Hospitality, Education and Healthcare.

#### **Domestic Production**

Zintra Acoustic Solutions is proud to be fabricated locally for improved quality control, reliability, and quick turnaround. Efficient local processes guarantee fast delivery without sacrificing quality.

## Color Never Sounded So Good

The Zintra Panel colors have been developed with versatility in mind. Craft standalone color statements or select a combination of complementary and contrasting tones for indoor spaces that look exceptional and sound extraordinary.



# Available in 30 Solid Colors + 4 Timber Species





<sup>\*</sup> Also available in 24mm (1")
All colors on this page are stocked products.

Timber Species

## 18 Premium Materials

Recreate the striking aesthetics of architectural finishes with breathtaking realism.







12. Product: Zintra Premium Material | Color: Shale Medium


## 12 Premium Woods

Rich tones and natural grains epitomize our photo realistic wood finishes.











# Zintra Print

Elevate your acoustic panels with our Zintra Print options, blending functionality and artistry. Designed to bring a unique style to your interior space, our offerings – Premium Material, Premium Wood, Print Art, and Print Color – ensure a personalized aesthetic that crafts an environment not only to be seen but truly felt.



## **Premium Wood**

Zintra Premium Wood provides a photorealistic, lightweight, and easy-to-fabricate alternative to real wood. It features prints of twelve artisan species from the US and around the world, showcasing rich tones and natural grains that range from mild to wild.

This collection helps bring the outdoors in, allowing you to create warm, inviting, and acoustically minded commercial spaces that connect people with nature. Coordinating base colors have been perfectly paired to enhance a sense of depth and ensure print crispness and clarity that is second to none.

Refer to page 13 for swatches.

Available in 12 designs



Scan the QR code to find out





**Applications** 




Walls

Ceilings







## **Premium Material**

Zintra Premium Material offers individually crafted, photorealistic, lightweight, and easy-to-fabricate architectural finishes, ideal for acoustically minded commercial and hospitality spaces.

Available in a variety of concretes, stones, and terracottas across a range of colors and substrates, Premium Material's coordinating base colors have been expertly paired to add depth and ensure unparalleled print crispness and clarity.

Refer to **page 12** for swatches.

Available in 18 designs **Applications** 



Scan the QR code to find out







Ceilings







## **Zintra Print Art**



## 1. Choose your Design


Over 300 curated designs in multiple colorways are provided as the inspiration to print on your chosen base color. Zintra Print Art includes a Materials collection, featuring Timber, Metal, Stone and Concrete prints, and an Artwork collection, incorporating Abstract, Botanical and Geometric designs. In addition, we have partnered with internationally renowned artists to provide unique content for your space.



### 2. Choose your Base

Print onto the entire Zintra Acoustic 1/2" (30 colors) and 1" (6 colors) panel range. While the color of the Zintra base will impact the color of the print, it's easy to print a layer of white before the color layer to deliver color accuracy.

See **p.44** and **45**.



## 3. Define your Space

The Zintra Print Art offer is made to order to suit your project. Provide us with the sizing and layout required to specifically fit your space and the Zintra Print panels will be provided to size, ready for install.

# Available in over 300 designs



Scan the QR code to find out more

## **Applications**









Walls

Ceilings



















## **Zintra Print Color**






Frost

Pebble

### 1. Choose your Base

Frost and Pebble have been chosen to offer contrasting base panels in both 1/2" and 1". Frost gives a clean, crisp aesthetic with the most accurate color matching, while Pebble offers a softer, more muted aesthetic with a heathered effect.






Spirit Colors

Studio Colors

## 2. Choose your Color

We've carefully chosen a broad, contemporary color palette to expand the range. 56 Studio colors reflect the latest interior design trends, while 10 Spirit colors are bolder and more vibrant, to showcase your school or team brand.

See **p.40** and **41**.



## 3. Create your Own

If one of the 66 Zintra Print colors doesn't quite meet your brief, it's quick and easy to create your own. Simply give us the Pantone color you're trying to match, and we will create a sample for you.

## Available in 66 designs Applications



Scan the QR code to find out



Walls






Ceilings



## **Studio Colors**

56 soft colors to reflect the latest interior design trends.





# **Spirit Colors**

10 vibrant colors to showcase your school or college.



## **Edge Banding**

The Zintra Print range offers the unique ability to create low-volume colored edge banding. The edge banding is available in the full range of Studio and Spirit colors, or we can easily customize the color for you.

Edge banding can be used to match or contrast the printed surface on selected Zintra Acoustic Solutions.



40. ZINTRA 41.

# Zintra Panels

Experience the perfect synergy of acoustic excellence and visual elegance with Zintra Acoustic Panels. Ideal for commercial, hospitality, and institutional projects, Zintra Acoustic Panels offer a diverse range of aesthetics. Crafted from 100% recyclable materials, Zintra Panels boast exceptional sound absorption capabilities for walls, ceilings, and screens.









## 1/2" Acoustic Panel

Zintra 1/2" Panel boasts exceptional sound absorption capabilities for walls and ceilings. Use it as is or fabricate it into a designed solution. Measuring 110" (2800mm) in length, these join-free panels are easy to fabricate and install. Choose from a palette of 30 solid colors and 4 timber prints, ensuring effortless integration into any space.

#### **Specifications**

Dimensions	48" (1219mm) x 108" (2743mm) x 1/2" (12mm)							
Colors	Available in all 64 Colors, including Zintra Timber and Premium Prints. See p.11, p.12 and p.13							
NRC Rating	Directly Mounted: 0.45	With 2" (50mm) Air Gap: 0.85	With 6" (152mm) Air Gap: 0.90					
Aw Rating	Directly Mounted: 0.30	With 2" (50mm) Air Gap: 0.75	With 6" (152mm) Air Gap: 0.95					
Suggested Installation	Adhere to substrate using contact adhesive or Liquid Nails. Panel can be mechanically fixed using details similar to glass fittings. Check out the Technical Documents on our website to download the Installation Guide for more details.							
Additional Comments	Also available with Digital Print. Not suitable as a free standing product.							
Customization	The Zintra Acoustic Solutions range is customizable to your project. Please get in touch with your local contact for details.							

## Available in all 64 Colors



Scan the QR code

## **Applications**





Ceilings

## 1" Acoustic Panel

Zintra 1" Panel boasts exceptional sound absorption capabilities for walls and ceilings. Use it as is or fabricate it into a designed solution. Measuring 110" (2800mm) in length, these join-free panels are easy to fabricate and install. Choose from a palette of 6 solid colors ensuring effortless integration into any space.

## **Specifications**

Dimensions	48" (1219mm) x 108" (2743mm) x 1" (24mm)							
Colors	Available in all 6 Solid Colors. Shown below.							
NRC Rating	Directly Mounted: 0.75	With 2" (50mm) Air Gap: 0.95	With 6" (152mm) Air Gap: 1.00					
Aw Rating	Directly Mounted: 0.60	With 2" (50mm) Air Gap: 0.95	With 6" (152mm) Air Gap: 0.90					
Suggested Installation	Adhere to substrate using contact adhesive or Liquid Nails. Panel can be mechanically fixed using details similar to glass fittings. Check out the Technical Documents on our website to download the Installation Guide for more details.							
Additional Comments	Also available with Digital Print. Not suitable as a free standing product.							
Customization	The Zintra Acoustic Solutions range is customizable to your project. Please get in touch with your local contact for details.							

### Available in 6 Colors



Scan the QR code



Walls

**Applications** 

Ceilings



Ecru

Frost

**Available Colors** 



Grass





ZINTRA 45.

## **3D Panel**

Zintra 3D Panel adds a simple yet captivating design element to both straight or curved walls while also enhancing acoustics.


With a narrow panel design and the ability to be cut on site, these panels make wall-to-wall fitting effortless and eliminate the need for custom drawings.

Available in 2 designs

Scan the QR code to find out









#### **Peaks**

3 strips / set, 26.3 SF (2.4m²) 12" (305mm) w x 108.1" (2745mm) h x 1.6" (40mm) d / strip



#### Batten 2


3 strips / set, 18.1 SF (1.7m²) 8.6" (218mm) w x 108.1" (2745mm) h x 1.5" (37mm) d / strip



#### Batten 4


3 strips / set, 27 SF (2.5m²)

12" (305mm) w x 108.1" (2745mm) h x 1.5" (37mm) d / strip



#### Batten 6

3 strips / set, 27 SF (2.5m²) 12" (305mm) w x 108.1" (2745mm) h x 1.5" (37mm) d / strip




## **3D Panel Specifications**

See above.				
Available in all 64 Colors, including Zintra Timber and Premium Prints. See p.11, p.12 and p.13				
Directly Mounted: 0.45				
Directly Mounted: 0.30				
Refer to install guide for staple locations (staples not included). Apply adhesive to the flat surface of the wall panel, then staple inside the groove to secure. Repeat in a tile like fashion across space. Check out the Technical Documents on our website to download the Installation Guide for more details.				
Not suitable as a free standing product.				
The Zintra Acoustic Solutions range is customizable to your project. Please get in touch with your local contact for details.				

## **Emboss Panel**

Zintra Emboss introduces a touch of luxury with its tactile, threedimensional designs, making it perfect for spaces that demand both noise absorption and aesthetic warmth.

Emboss' consistent patterns allow for seamless installation in all 4 directions, effortlessly crafting a visually captivating atmosphere.








Walls

Ceilings











Product: Zintra Emboss Panel Constellation | Color: Mandarin ZINTRA 55.

**54.** Product: Zintra Emboss Panel Rivulet | Color: Olive





## **Emboss Panel Specifications**


D:								
Dimensions	44" (1118mm) x 108" (2743mm)							
Colors	Available in all 64 Colors, including Zintra Timber and Premium Prints. See p.11, p.12 and p.13							
NRC Rating	Directly Mounted: 0.35	With 2" (50mm) Air Gap: 0.65	With 6" (152mm) Air Gap: 0.80					
Aw Rating	Directly Mounted: 0.30	With 2" (50mm) Air Gap: 0.60	With 6" (152mm) Air Gap: 0.75					
Suggested Installation	Adhere to substrate using contact adhesive or Liquid Nails. Check out the Technical Documents on our website to download the Installation Guide for more details.							
Additional Comments  Zintra Emboss Panels are only suitable for single sided applications.  *These designs are also available as 23.7" (600mm) x 23.7" (600mm) Tiles.								
Customization The Zintra Acoustic Solutions range is customizable to your project.  Please get in touch with your local contact for details.								

. ZINTRA 57.

# Layers Panel

Zintra Layers delivers simplistic style and sound absorption with ease.

Whether you're aiming for a dramatic splash with vibrant strips of Layers, or a more subtle touch with the monochrome of Layers 3D, Layers offers a solution that is versatile, visually striking, and acoustically superior, with an NRC of 0.75 when adhered directly to the wall.







Scan the QR code to find out more Applications














# Layers Panel Specifications

Dimensions	48" (1219mm) x 108" (2743mm)							
Colors	Available in all 64 Colors, including Zintra Timber and Premium Prints. See <b>p.11</b> , <b>p.12</b> and <b>p.13</b>							
NRC Rating	Directly Mounted: 0.75	With 2" (50mm) Air Gap: 0.95	With 6" (152mm) Air Gap: 1.00	With 12" (305mm) Air Gap: 1.00				
Aw Rating	Directly Mounted: 0.60	With 2" (50mm) Air Gap: 0.95	With 6" (152mm) Air Gap: 0.95	With 12" (305mm) Air Gap: 1.00				
Suggested Installation	Adhere to substrate using contact adhesive, Liquid Nails or Z Clips. Panel can be mechanically fixed. Check out the Technical Documents on our website to download the Installation Guide for more details.							
Additional Comments	Additional Comments As Zintra Layers are hand-made, an exact pattern match from one panel to the next is not possible. All Zintra Layers are supplied on a Zintra Acoustic backer in Black.							
Customization	Customization The Zintra Acoustic Solutions range is customizable to your project.  Please get in touch with your local contact for details.							

## **Pattern Panel**

Zintra Pattern offers a broad and varied range of intricately cut designs, from classic to contemporary.

Use as is with one of our hardware options as a screen, or pair with a matching or contrasting solid Zintra backer for use as multi-dimensional, unique wall cladding.





Scan the QR code to find out



Walls




Ceilings








**64.** Product: **Zintra Pattern Panel Lost** | Color: **Parchment** 





66. ZINTRA 67.


<sup>\*</sup>Available in an A/B configuration and/or A/A-Reverse configuration. See Product Drawings for details















Vedic

**Stone Age** 



# **Pattern Panel Specifications**

Dimensions	PATTERN ONLY 48" (1219mm) x 108" (274)	3mm) x 1/2" (12mm)	PATTERN ON BACKER 48" (1219mm) x 108" (274	
Colors	Available in all 64 Cold	ors, including Zintra Timb	per and Premium Prints.	See <b>p.11</b> , <b>p.12</b> and <b>p.13</b>
PATTERN ONLY NRC Rating	Directly Mounted: 0.45	With 2" (50mm) Air Gap: 0.85	With 6" (152mm) Air Gap: 0.90	With 12" (305mm) Air Gap: 0.95
Aw Rating	Directly Mounted: 0.30	With 2" (50mm) Air Gap: 0.75	With 6" (152mm) Air Gap: 0.95	With 12" (305mm) Air Gap: 0.95
PATTERN ON BACKER NRC Rating	Directly Mounted: 0.75	With 2" (50mm) Air Gap: 0.95	With 6" (152mm) Air Gap: 1.0	With 12" (305mm) Air Gap: 1.0
Aw Rating	Directly Mounted: 0.60	With 2" (50mm) Air Gap: 0.95	With 6" (152mm) Air Gap: 0.95	With 12" (305mm) Air Gap: 0.95
Suggested Installation	Zintra Pattern Only: Choose from one of our hardware options or choose your own to install as a room divider, ceiling tile or wall/ceiling feature. Zintra Pattern on Backer: Adhere to substrate using contact adhesive or Liquid Nails. Panel can be mechanically fixed using details similar to glass fittings. Check out the Technical Documents on our website to download the Installation Guide for more details.			
Additional Comments	Not suitable as a free standing product. Must define panel configurations for patterns with multiple options when ordering.			
Customization	1	olutions range is custor ith your local contact fo	mizable to your project. or details.	

68.

ZINTRA 69.

<sup>\*</sup>Available in an A/B configuration and/or A/A-Reverse configuration. See Product Drawings for details

# **Etch Panel**

Zintra Etch brings dynamic 3D designs and subtle textures to commercial, hospitality, and institutional interiors, offering both cutting-edge aesthetics and superior acoustic performance.

Crafted from a subtle 1/8" (3mm) v-groove, Etch creates calming environments that foster productivity and well-being. Mix and match with Zintra Plain Panels to add design and pricing versatility for a cohesive and sophisticated look.

Available in 15 designs




Scan the QR code to find out more












Product: Zintra Etch Panel Spectrum | Color: Brick

72. Product: Zintra Etch Panel Tesselate | Color: Spotted Gum









# **Etch Panel Specifications**

Dimensions	48" (1219mm) x 108" (2743mm) x 1/2" (12mm)			
Colors	Available in all 64 Colors, including Zintra Timber and Premium Prints. See p.11, p.12 and p.13			
NRC Rating	Directly Mounted: 0.45	With 2" (50mm) Air Gap: 0.85	With 6" (152mm) Air Gap: 0.90	With 12" (305mm) Air Gap: 0.95
Aw Rating	Directly Mounted: 0.30	With 2" (50mm) Air Gap: 0.75	With 6" (152mm) Air Gap: 0.95	With 12" (305mm) Air Gap: 0.95
Suggested Installation	Adhere to substrate using contact adhesive or Liquid Nails. Panel can be mechanically fixed using details similar to glass fittings. Check out the Technical Documents on our website to download the Installation Guide for more details.			
Additional Comments	Etch is a 1/8" (3mm) deep V groove. Not suitable as a free standing product.			
Customization	The Zintra Acoustic Solutions range is customizable to your project. Please get in touch with your local contact for details.			

76. ZINTRA 77.

# Organic Etch Panel

Zintra Organic Etch draws inspiration from artisan craftsmanship, seamlessly merging human creativity with the beauty of the natural world. Organic Etch panels add visual depth to interior spaces.

Available in a diverse range of designs and colors, each panel tells a story of simplicity, tactility, and imperfect perfection. Mix and match with Zintra Plain Panels to add design and pricing versatility for a cohesive and sophisticated look.







Scan the QR code to find out more



























Herringbone Stripe

Offset


Plaid






# Rivers











# **Organic Etch Panel Specifications**

Dimensions	48" (1219) mm x 108" (2743mm ) x 1/2" (12mm)			
Colors	Available in all 64 Cold	Available in all 64 Colors, including Zintra Timber and Premium Prints. See p.11, p.12 and p.13		
NRC Rating	Directly Mounted: 0.45	With 2" (50mm) Air Gap: 0.85	With 6" (152mm) Air Gap: 0.90	With 12" (305mm) Air Gap: 0.95
Aw Rating	Directly Mounted: 0.30	With 2" (50mm) Air Gap 0.75	With 6" (152mm) Air Gap: 0.95	With 12" (305mm) Air Gap: 0.95
Suggested Installation	Adhere to substrate using contact adhesive or Liquid Nails. Panel can be mechanically fixed using details similar to glass fittings. Check out the Technical Documents on our website to download the Installation Guide for more details.			
Additional Comments	Not suitable as a free standing product. Organic Etch is imperfectly perfect and therefore while they are designed to be installed side by side, they are not seamlessly matched.			
Customization	The Zintra Acoustic Solutions range is customizable to your project. Please get in touch with your local contact for details.			

# **Texture Panel**

Zintra Texture offers subtle yet engaging 3-dimensional panel designs, each engineered to reduce echoes by altering sound reflection angles, making them perfect for noisy public spaces requiring a touch of flair.

Texture panels highlight the exceptional acoustic qualities of Zintra Acoustic Panels and showcase Zintra's impressive fabrication capabilities. With versatile designs, Texture will seamlessly integrate into both classic and modern settings. Mix and match with Zintra Plain Panels to add design and pricing versatility for a cohesive and sophisticated look.



Scan the QR code to find out




**Applications** 











# **Texture Panel Specifications**

Dimensions	48" (1219mm) x 108" (2743mm) x 1/2" (12mm) (1" depth once textures push out)			
Colors	Available in all 64 Colors, including Zintra Timber and Premium Prints. See p.11, p.12 and p.13			
NRC Rating	Directly Mounted: 0.45	With 2" (50mm) Air Gap: 0.85	With 6" (152mm) Air Gap: 0.90	With 12" (305mm) Air Gap: 0.95
Aw Rating	Directly Mounted: 0.30	With 2" (50mm) Air Gap: 0.75	With 6" (152mm) Air Gap: 0.95	With 12" (305mm) Air Gap: 0.95
Suggested Installation	Adhere to substrate using contact adhesive. Panel can be mechanically fixed using details similar to glass fittings. Check out the Technical Documents on our website to download the Installation Guide for more details.			
Additional Comments	Not suitable as a free standing product. If additional thickness is desired the option to mount to a 1/2" MDF backer or 1/2" Sheet of Zintra for an overall 1" panel thickness is available.			

# **Sculpted Panel**

Zintra Sculpted Panels use shape and space to offer eye-catching interior design additions.

The signature 3/8" (9mm) groove detail adds depth and dimension, setting them apart as a sophisticated choice for feature walls or an eye-catching alternative to traditional art. Unlike the finer 1/8" (3mm) groove of Etch, Sculpted Panels command attention with their bold, progressive aesthetic, creating a visual statement that resonates with modern design sensibilities.





Scan the QR code to find out

# **Applications**










Product: Zintra Sculpted Panel Heli | Color: Pewter



Product: Zintra Sculpted Panel Cosmic | Color: Ecru



# **Sculpted Specifications**

Dimensions:	47.5" (1206mm) x 108" (2743mm) x 1/2" (12mm)			
Colors	Available in all 64 Colors, including Zintra Timber and Premium Prints. See <b>p.11</b> , <b>p.12</b> and <b>p.13</b>			
NRC Rating	Directly Mounted: 0.45	Directly Mounted: 0.45 With 2" (50mm) Air Gap: 0.85 With 6" (152mm) Air Gap: 0.90		
Aw Rating	Directly Mounted: 0.30	With 2" (50mm) Air Gap: 0.75	With 6" (152mm) Air Gap: 0.95	
Suggested Installation	Adhere to substrate using contact adhesive, Liquid Nails. Check out the Technical Documents on our website to download the Installation Guide for more details			
Additional Comments	Sculpted is a 0.375" (9mm) deep V groove. Not suitable as a free standing product.			
Customization	The Zintra Acoustic Solutions range is customizable for your project. Please get in touch with your local contact for details.			

90. ZINTRA 91.



Clouds not only add dramatic flair to any space, but they also enhance acoustics through Zintra's powerful sound absorption qualities.

Available in 13 designs



Scan the QR code to find out more **Applications** 









#### Blanchard

27.3" (694mm) dia x 23.5" (595mm) h 56.4" (1432mm) dia x 47" (1195mm) h




#### Giffard

14.5" (364mm) dia x 23.5" (595mm) h 27.3" (692mm) dia x 47" (1195mm) h 45.6" (1160mm) dia x 71" (1802mm) h




#### Clochette

39" (992mm) w x 44.1" (1121mm) l x 9.2" (232mm) h




#### Square

48" (1220mm) w x 48" (1220mm) l x 6" (150mm) h 48" (1220mm) w x 108" (2745mm) l x 6" (150mm) h 108" (2745mm) w x 108" (2745mm) l x 6" (150mm) h 108" (2745mm) w x 108" (2745mm) l x 9" (225mm) h




#### **Drante**

48" (1220mm) w x 48" (1220mm) l x 5.5" (140mm) h 72" (1832mm) w x 72" (1832mm) l x 9" (229mm) h



#### Yoofoe


48" (1220mm) dia x 6.2" (156mm) h 72" (1829mm) dia x 8" (204mm) h 96" (2438mm) dia x 10" (254mm) h



#### Warp


98.

48" (1220mm) w x 48" (1220mm) l x 5.5" (140mm) h 108" (2745mm) w x 108" (2745mm) l x 9" (229mm) h




#### Stratus

28" (711mm) w x 55" (1398mm) l x 11.5" (290mm) h




#### Turbine

50" (1270mm) w x 50" (1270mm) d x 15.75" (400mm) h




# Long Dome Convex

42.4" (1077mm) w x 97.5" (2476mm) d x 11.8" (300mm) h




# Long Dome Concave

42.4" (1077mm) w x 97.5" (2476mm) d x 11.8" (300mm) h




#### **Dome Convex**

44.6" (1133mm) w x 44.6" (1133mm) d x 11.8" (300mm) h



#### **Dome Concave**

44.6" (1133mm) w x 44.6" (1133mm) d x 11.8" (300mm) h



# **Clouds Specifications**

Dimensions	See spread.	
Colors	Available in all 64 Colors, including Zintra Timber and Premium Prints. See p.11, p.12 and p.13	
NRC Rating	Without Air Gap: 0.90 With 24" (610mm) Air Gap: up to 1.00	
Aw Rating	Without Air Gap: 0.80	With 24" (610mm) Air Gap: up to 1.00
Suggested Installation	Cloud components supplied flat pack. Assembled cloud is then suspended from the ceiling using hanging hardware supplied. Check out the Technical Documents on our website to download the Installation Guide for more details.	
Additional Comments	Only available from Zintra Acoustic Panel 1/2" (12mm). Clouds include Adjustable Suspension Kit (ASK). See <b>p.200</b> for hardware detail. Longer Cables, multi-color and Digital Print available for an additional fee.	

ZINTRA 99.

# Shapes

Zintra Shapes utilizes geometric forms to complement the traditional angles of a room.

Effective individually or as an ensemble, these shapes can be strategically hung to highlight a particular area or distributed to guide the eye across the span of a room.

Available in 7 designs




Scan the QR code to find out more **Applications** 









# **Shapes Specifications**

Large

Dimensions	See above.			
Colors	Available in all 64 Cold	Available in all 64 Colors, including Zintra Timber and Premium Prints. See <b>p.11</b> , <b>p.12</b> and <b>p.13</b>		
1/2" (12mm) NRC Rating	Directly Mounted: 0.45	With 2" (50mm) Air Gap: 0.85	With 6" (152mm) Air Gap: 0.90	With 12" (305mm) Air Gap: 0.95
Aw Rating	Directly Mounted: 0.30	With 2" (50mm) Air Gap: 0.75	With 6" (152mm) Air Gap: 0.95	With 12" (305mm) Air Gap: 0.95
Suggested Installation	Hang with supplied cables. Check out the Technical Documents on our website to download the Installation Guide for more details.			
Additional Comments	Available in 1/2" (12mm) thickness			
Customization	The Zintra Acoustic Solutions range is customizable to your project. Please get in touch with your local contact for details.			

# **Emboss Ceiling Tiles**

Emboss Ceiling Tiles instantly elevate spaces with progressively matched patterns across sheets, creating a seamless, layered effect.

Designed to fit standard 2x2 ceiling grids, Emboss Ceilings enhance acoustics and refresh spaces effortlessly.

Available in 13 designs




Scan the QR code to find out more **Applications** 






#### Constellation

23.62" (600mm) w x 24" 23.62" (600mm) h



#### Corduroy

23.62" (600mm) w x 24" 23.62" (600mm) h



#### Cumulus

23.62" (600mm) w x 24" 23.62" (600mm) h



#### Damask

23.62" (600mm) w x 24" 23.62" (600mm) h




#### Jungle

23.62" (600mm) w x 24" 23.62" (600mm) h




#### Linked

23.62" (600mm) w x 24" 23.62" (600mm) h




#### Molecular

23.62" (600mm) w x 24" 23.62" (600mm) h



#### Sandglass

23.62" (600mm) w x 24" 23.62" (600mm) h



#### **Tapestry**

106.

23.62" (600mm) w x 24" 23.62" (600mm) h




#### Tidal

23.62" (600mm) w x 24" 23.62" (600mm) h



#### **Quick Ship Program**

Quick Ship Emboss Ceiling Tiles are stocked in the frost color and ready to ship immediately in quantities of 16 tiles per pattern. For more color options, a minimum order of 80 tiles is required.



# **Emboss Ceiling Tiles Specifications**

See above.			
Available in all 64 Colors, including Zintra Timber and Premium Prints. See p.11, p.12 and p.13			
Directly Mounted: 0.45	With 2" (50mm) Air Gap: 0.85	With 6" (152mm) Air Gap: 0.90	With 12" (305mm) Air Gap: 0.95
Directly Mounted: 0.30	With 2" (50mm) Air Gap: 0.75	With 6" (152mm) Air Gap: 0.95	With 12" (305mm) Air Gap: 0.95
Will work with 15/16" or 9/16" Suspended T-Grid system (T-Grid not supplied). Check out the Technical Documents on our website to download the Installation Guide for more details.			
Available in 1/2" (12mm) thickness			
The Zintra Acoustic Solutions range is customizable to your project. Please get in touch with your local contact for details.			
	Available in all 64 Col Directly Mounted: 0.45 Directly Mounted: 0.30 Will work with 15/16" the Technical Documdetails. Available in 1/2" (12m) The Zintra Acoustic S	Available in all 64 Colors, including Zintra Tir  Directly Mounted: With 2" (50mm) 0.45 Air Gap: 0.85  Directly Mounted: With 2" (50mm) 0.30 Air Gap: 0.75  Will work with 15/16" or 9/16" Suspended T- the Technical Documents on our website to details.  Available in 1/2" (12mm) thickness  The Zintra Acoustic Solutions range is cust	Available in all 64 Colors, including Zintra Timber and Premium Print Directly Mounted: With 2" (50mm) With 6" (152mm) 0.45 Air Gap: 0.85 Air Gap: 0.90  Directly Mounted: With 2" (50mm) With 6" (152mm) 0.30 Air Gap: 0.75 Air Gap: 0.95  Will work with 15/16" or 9/16" Suspended T-Grid system (T-Grid no the Technical Documents on our website to download the Installadetails.  Available in 1/2" (12mm) thickness

ZINTRA 107.

# **Baffle Systems**

Zintra Baffle Systems masterfully absorb sound from multiple directions, combining modern aesthetics with decorative elements and a broad spectrum of colors and patterns.

Providing an innovative alternative to traditional mineral fiber lay-in systems, Baffle Systems offer the flexibility to be individually configured as a standout feature or installed to enhance the entire ceiling's visual charm. With refined assembly and installation, Baffle Systems provide an efficient and adaptable solution for improving acoustics to meet any space's demands. By diminishing noise levels and boosting speech clarity, our sound baffles facilitate a calm and appealing environment.

# Available in 11 designs




Scan the QR code to find out more

#### **Applications**











# Small Baffle Large Baffle Available in 4.7" (120mm) or 9.5" (240mm) deep Available in 4.7" (120mm) or 9.5" (240mm) deep 108" (2745mm) 48" (1220mm) Square\* Bolt Canyons Ridges Swell Gorge\*\* \*Available with 4.8" spacing (10 Baffles), 8" spacing (6 Baffles), 12" spacing (4 Baffles) \*\*Also available in 48" (1220mm) w x 72" (1829mm) l x 16.8" (428mm) h



#### **Quarter Baffle Circle**



48" (1220mm) w x 48" (1220mm) d x 3.7" (94mm) h



48" (1220mm) w x 108" (2745mm) d x 3.7" (94mm) h

#### **Baffle Systems Specifications**

Dimensions	See spread.	
Colors	Available in all 64 Colors, including Zintra Timber and Premium Prints. See <b>p.11</b> , <b>p.12</b> and <b>p.13</b> . See <b>p.214</b> for Powder Coat Colors.	
NRC Rating	Without Air Gap: 0.90 With 24" (610mm) Air Gap: Up to 0.95	
Aw Rating	Without Air Gap: 0.80	With 24" ( 610mm) Air Gap: Up to 0.80
Suggested Installation	Be sure to support Baffles during installation to avoid bowing or creasing. Slide Baffles onto notched Square Tube to position it in place. Fix Adjustable Cables to ceiling. Adjust cables to complete installation.	
Additional Comments	Only available from Zintra Acoustic Panel 1/2" (12mm) Baffles include Adjustable Suspension Kit (ASK) and Square Tube. See <b>p.200</b> for hardware detail. Longer Cables, multi-color and Digital Print available for an additional fee.	
Customization	The Zintra Acoustic Solutions range is customizable to your project. Please get in touch with your local contact for details.	

114. ZINTRA 115.

# **Box Baffles**

Zintra Box Baffles are box-shaped baffles designed to hang from the ceiling in uniformly spaced rows. This prefabricated, ceiling-mounted system offers an innovative alternative to traditional mineral fiber lay-in systems.

The distinct box shape not only elevates the aesthetics but also optimizes acoustic performance by effectively trapping sound. With refined assembly and installation, Box Baffles provide an efficient and adaptable solution for improving acoustics to meet the demands of any space.







Scan the QR code to find out **Applications** 











# Individual Box Baffle Profiles "Hang as part of a system or can hang as individual box baffles

Box Baffle A	Box Baffle B
2" w x 39.4" l x 2" h	8" w x 39.4" l x 2" h
2" w x 93" l x 2" h	8" w x 93" l x 2" h








# **Box Baffles Specifications**

Dimensions	See above.		
Colors	Available in all 64 Colors, including Zintra Timber and Premium Prints. See <b>p.11</b> , <b>p.12</b> and <b>p.13</b> . See <b>p.214</b> for Powder Coat Colors.		
NRC Rating	Without Air Gap: 0.90 With 24" (610mm) Air Gap: Up to 0.95		
Aw Rating	Without Air Gap: 0.80	With 24" (610mm) Air Gap: Up to 0.80	
Suggested Installation	Be sure to support Baffles during installation to avoid bowing or creasing. Slide Baffles onto notched Square Tube to position it in place. Fix Adjustable Cables to ceiling. Adjust cables to complete installation. Check out the Technical Documents on our website to download the Installation Guide for more details.		
Additional Comments	Only available from Zintra Acoustic Panel 1/2" (12mm). Baffles include Adjustable Suspension Kit (ASK) and Square Tube. See <b>p. 200</b> for hardware detail. Longer Cables, multi-color and Digital Print available for an additional fee.		
, taditional commonts		. 200 for hardware detail. Longer Cables,	

# **Mesh Baffles**

Zintra Mesh Baffles offer a stylish and functional acoustic ceiling solution that can serve as dynamic focal points or wall-to-wall applications.

Scalable and cost-effective, sets of Mesh Baffles integrate seamlessly with each other using a unique interconnecting system and are suspended by Y-Hook cables for easy installation.






Scan the QR code to find out more


# **Applications**



















# Mesh Baffles Specifications

Dimensions	48" (1219mm) w x 96" (2400mm)   x 8.2" (209mm) h   Individual Quill 4" (106mm) x 8.2" (209mm) x 1/2" (12mm)
Colors	Available in all 64 Colors, including Zintra Timber and Premium Prints. See <b>p.11</b> , <b>p.12</b> and <b>p.13</b> . See <b>p.214</b> for Powder Coat Colors.
NRC Rating	Up to 1.0
Aw Rating	Up to 0.95
Suggested Installation	Assemble your Mesh Baffle System then suspend from the ceiling using the hanging hardware supplied. Check out the Technical Documents on our website to download the Installation Guide for more details.
Additional Comments	Digital Print available for an additional fee.
Customization	The Zintra Acoustic Solutions range is customizable to your project. Please get in touch with your local contact for details.

# Beams

Zintra Beams, with their sense of structure and architectural grandeur, are perfect for large spaces.

Engineered for superior sound absorption, with an NRC of up to 1.5, Zintra Beams function as porous absorbers across the entire frequency range, significantly enhancing the overall NRC rating of a space. Their modular design allows for a variety of configurations across a range of styles and sizes and includes connectors and coffers for effortless customization to suit any space.







Scan the QR code to find out

## **Applications**











#### **Open Rafter**


Configurations 1 x 5, 2 x 5, 3 x 5, 4 x 5 and 5 x 5.





#### **Closed Rafter**


Configurations 1 x 5, 2 x 5, 3 x 5, 4 x 5 and 5 x 5.






#### **Square Beam**


Available with and without coffers.




# Rectangle Beam



#### Coffer







# **Beams Specifications**

Dimensions	See above.
Colors	Available in all 64 Colors, including Zintra Timber and Premium Prints. See p.11, p.12 and p.13
NRC Rating	Up to 1.5 with Coffers
Aw Rating	Up to 1.0 with Coffers
Suggested Installation	Ships Flat Pack. Assembly Required. Cable Suspension OR Unistrut. Refer preferred installation method Install Guide Go to the Technical Documents and download the Installation Guide for more details.
Additional Comments	Available in Premium Prints.
Customization	The Zintra Acoustic Solutions range is customizable to your project. Please get in touch with your local contact for details.

**ZINTRA 133.** 

# Connect

Zintra Connect adds sculptural, on-trend geo-accents to your ceiling space. This innovative ceiling solution improves acoustics in large areas, creating a ceiling space with architectural shape, form, and definitive character.

Connect offers the flexibility to be individually configured as a standout feature or installed to enhance the entire ceiling's visual charm, all without the need for customized shop drawings.


Available in 5 designs



Scan the QR code to find out more **Applications** 








Product: Zintra Connect Hive | Color: Brick


136. Product: Zintra Connect Prismatic | Color: Pebble


#### **Connect Cirrus**

141.5" (3595mm) x 89.6" (2275mm)

\*To account for angle of design use: 89.5" x 103"










#### **Connect Rise**

48" (1220mm) x 109.8" (2790mm)








#### **Connect Cubix**

18 cubes / set, 18.9 SF (1.8m²)

System Dims: 36.6" (930mm) w x 74.4" (1889mm) d x 4.7" (120mm) h

Single Cube Dims: 11.5" x 11.5" x 4.7"




#### **Connect Hive**

18 hexagons / set, 21.7 SF (2.6m²)

System Dims: 40.5" (1027mm) w x 100" (2544mm) d x 4.7" (120mm) h

Single Hexagon Dims: 13.3" x 15.3" x 4.7"




#### **Connect Prismatic**

18 triangles / set, 16.9 SF (1.7m²)

System Dims: 30.2" (768mm) w x 88.2" (2241mm) d x 4.7" (120mm) h

Single Triangle Dims: 15.5" x 15.5" x 4.7"



### **Connect Specifications**

Dimensions	See above.
Colors	Available in all 64 Colors, including Zintra Timber and Premium Prints. See p.11, p.12 and p.13
NRC Rating	0.90
Aw Rating	0.80
Suggested Installation	Connect components are supplied flat pack. Fix Adjustable Suspension Kit (ASK) or 4 way Adjustable Suspension Kit (Connect Cubix, Hive and Prismatic only) to ceiling. See <b>p.200</b> for hardware detail. Check out the Technical Documents on our website to download the Installation Guide for more details.
Customization	The Zintra Acoustic Solutions range is customizable to your project. Please get in touch with your local contact for details.

138. ZINTRA 139.

# Acoustic Sticks

Zintra Sticks offer creative freedom and functionality in a lightweight, versatile, and easy-to-fabricate format. Perfect for feature walls, curved walls, space division, and even seamless progression from wall to ceiling, Sticks provide a vast range of possibilities to transform any area into an extraordinary, acoustically optimized environment.

Available as a complete system, Zintra Sticks Bundles' unique design ensures effective sound absorption while adding a modern, dynamic element to your space.

Zintra Sticks are available in two profiles that can be mounted on walls or ceilings in either landscape or portrait orientation. Add on the purpose-designed Sticks Transition to ensure seamless integration at corners from walls to ceilings, and use Sticks Trim to provide a neat finish around doors, windows, and GPOs.





Scan the QR code to find out

# **Applications**



Walls






Ceilings








# **Sticks Corner**

Zintra Sticks Corners are purpose-designed transition pieces that seamlessly join Sticks Bundles around external wall corners, ensuring a smooth and cohesive finish.

They are available in both Landscape and Portrait orientations to suit Narrow and Wide Sticks.





Scan the QR code to find out

### **Applications**








# **Sticks Transition**

Zintra Sticks Transition pieces are purpose-designed to seamlessly manage corners from walls to ceilings, ensuring a smooth and cohesive finish.

Available in both landscape and portrait orientations, Sticks Transition integrates effortlessly with Sticks Bundles to maintain design continuity.



### Available in 2 widths



Scan the QR code to find out more

# **Applications**



Walls



Ceilings

Product: Zintra Sticks Bundle Narrow and Transition Orientation: Portrait | Color: Spotted Gum

# **Sticks Trim**

Zintra Sticks Trim ensures impeccable finishes around windows, doors, ceiling services, and GPOs.

Supplied as a separate right-angle piece, Sticks Trim is easily cut onsite for mitre or butt joints and is glued to Sticks sets to provide a seamless, matching finish to exposed ends.

### Available in 2 widths



to find out

# **Applications**








Walls

Ceilings





### Typical Landscape Transition Assembly



# Landscape Transition Narrow Set 108" (2745mm) w x 11.65" (296mm) h


### Landscape Transition Wide Set





# Typical Landscape External Corner Assembly


1.7" (42mm) wide stick profile



152. ZINTRA 153.


### **Sticks Bundle Narrow**

37.5" (953mm) w x 108" (2745mm) h x 2.4" (61mm) d Individual Sticks – 1.7" (42mm) w x 1.9" (48.26mm) d




### Sticks Bundle Wide

37.5" (953mm) w x 108" (2745mm) h x 2.4" (61mm) d Individual Sticks – 4" (101mm) w x x 1.9" (48.26mm) d




# Portrait External Corner Set

4" (101mm) w x 108" (2745mm) h




### Portrait Transition Narrow Set

37.5" (953mm) w x 11.4" (289mm) h




### Portrait Transition Wide Set

37.5" (953mm) w x 11.4" (289mm) h



### Typical Portrait Transition Assembly



NOTE: Zintra Sticks are available as a complete system, which includes an aluminum frame and sticks, or as individual sticks. Offered in two widths and finishes, Zintra Sticks provide versatile design options for any space. A Suspension Kit for ceiling installations is also available.

For a flawless finish around windows, doors, ceiling services, and sockets, Zintra Sticks pair perfectly with our precision-engineered Sticks Trim. This separate right-angle piece can be easily cut onsite for mitre or butt joints and glued to Sticks sets, ensuring a seamless finish on exposed ends.

### **Sticks Bundles Specifications**

Dimensions	See spread.	
Colors	Available in all 64 Colors, including Zintra Timber and Premium Prints. See <b>p.11</b> , <b>p.12</b> and <b>p.13</b> . See <b>p.214</b> for Powder Coat Colors.	
NRC Rating	Directly Mounted: 0.8 With 6" (152mm) Air Gap: 0.95	
Aw Rating	Directly Mounted: 0.6	With 6" (152mm) Air Gap: 0.65
Suggested Installation	Ships flat packed except Sticks Trim. Assembly required. Check out the Technical Documents on our website to download the Installation Guide for more details.	
Customization	The Zintra Acoustic Solutions range is customizable to your project. Please get in touch with your local contact for details.	

154. ZINTRA 155.

# **Independent Sticks**

Zintra Independent Sticks have been designed to offer designers limitless creative possibilities.

Being trimmable in the field, they achieve flexibility without the noise and dust of real timber, allowing for the crafting of eye-catching feature walls, custom art installations, or asymmetrical patterns that span entire spaces.

Available in both Narrow and Wide options and a variety of finishes to suit your aesthetic preferences.

### Available in 2 widths



Scan the QR code to find out

### **Applications**









Walls

Ceilings







# **Independent Sticks Specifications**

Dimensions	Wide Set: 10 Sticks per Bundle System: 50" (1270mm) w x 108" (2743mm) h with 1" spacing Each Stick: 4" (102mm) wide	Narrow Set: 12 Sticks per Bundle System: 36" (914mm) w x 108" (2743mm) h with 1" spacing Each Stick 2" (48mm) wide
Colors	Available in all 64 Colors, including Zintra Timber and Premium Prints.  See p.11, p.12 and p.13	
NRC Rating	Directly Mounted: 0.80	With 6" (152mm) Air Gap: 0.95
Aw Rating	Directly Mounted: 0.60	With 6" (152mm) Air Gap: 0.65
Suggested Installation	Ships flat packed. Assembly required. Check out the Technical Documents on our website to download the Installation Guide for more details.	
Additional Comments	Minimum 1" (24mm) spacing required.	
Customization	The Zintra Acoustic Solutions range is customizable to your project. Please get in touch with your local contact for details.	

# **Quadratic Sticks**

Zintra Quadratic Sticks are designed to enhance acoustics through the innovative use of a quadratic residue sequence.

Each pattern comprises eight sticks, repeating systematically to optimize acoustic outcomes. Variable heights strategically enhance sound absorption while minimizing reverberation, ensuring more evenly distributed sound energy throughout the room. This reduces echoes and creates enhanced speech clarity.

### Available in 2 widths



Scan the QR code to find out

# **Applications**








Walls

Ceilings





# **Quadratic Sticks**



# **Quadratic Sticks Specifications**

Dimensions	All sticks are: 1.7" w (42 mm) x 108" (2743mm) l	
	Set includes:	
	(x6) 1" (25mm) deep sticks , (x4) 2" (51mm) deep sticks,	
	(x4) 3" (76mm) deep sticks, (x2) 4" (102mm) deep sticks	
Colors	Available in all 64 Colors, including Zintra Timber and Premium Prints.	
	See p.11, p.12 and p.13. See p.214 for Powder Coat Colors.	
NRC Rating	0.95	
Aw Rating	0.80	
Suggested Installation	Ships flat packed except 1" (25mm) Quadratic Stick. Assembly required.	
	Check out the Technical Documents on our website to download the	
	Installation Guide for more details.	
Customization	The Zintra Acoustic Solutions range is customizable to your project.	
	Please get in touch with your local contact for details.	
	•	71NITD 4 162

# **Double Sided Sticks**

Zintra Double Sided Sticks provide a versatile solution for creating and rearranging spaces, meeting the increasing demand for space dividers without affecting walls or ceilings.

Perfect for displays, reception areas, or breakout spaces, Double Sided Sticks are available as Narrow or Wide Sticks in both Portrait and Landscape orientations. The Landscape orientation also comes in a half-height version, which is perfect as a privacy screen. Installation is straightforward and can be modified onsite, making Zintra Double Sided Sticks a simple and effective way to transform spaces.

Available in 3 designs




Scan the QR code to find out more




Walls




### Double Sided Portrait - Wide




### Double Sided Landscape -Wide Half Set




### Double Sided Landscape - Wide Full Set




### Double Sided Portrait - Narrow



### Double Sided Landscape -Narrow Half Set



### Double Sided Landscape -Narrow Full Set



NOTE: Overall height range 111"- 115" max with adjustable feet.



### **Double Sided Sticks Specifications**


Dimensions	Portrait:	Landscape Full Height:	Landscape Half Height:
	Narrow Set 20 pcs 47" (1191mm) w x 111" (2820mm) h x 3.8" (96.5mm) d End Stick Width 2" (51mm) Middle Stick Width 1.7" (42mm)	Narrow Set 40 pcs 48" (1219mm) w x 111" (2820mm) h x 3.8" (96.5mm d Each Stick Width 1.7" (42mm) Wide Set 20 pcs	Narrow Set 20 pcs 48" (1219mm) w x 46" (1174mm) h x 3.8" (96.5mm) d Overall System: 48" w x 111" h Each Stick Width 1.7" (42mm)
	Wide Set 10pcs 47" (1191mm) w x 111" (2820mm) h x 3.8" (96.5mm) d End Stick Width 4.35"(111mm) Middle Stick Width 4" (102mm)	48" (1219mm) w x 111" (2820mm) h x 3.8" (96.5mm) d Each Stick Width 4" (102mm)	Wide Set 10 pcs 48" (1219mm) w x 46" (1174mm) h x 3.8" (96.5mm) d Overall System: 48" w x 111" h Each Stick Width 4" (102mm)
Colors	Available in all 64 Colors, including Zintra Timber and Premium Prints. See p.11, p.12 and p.13. See p.214 for Powder Coat Colors.		
NRC Rating	0.85		
Aw Rating	0.70		
Suggested Installation	Ships flat packed. Assembly required. Check out the Technical Documents on our website to download the Installation Guide for more details.		
Customization	The Zintra Acoustic Solutions range is customizable to your project. Please get in touch with your local contact for details.		

166. ZINTRA 167.

# **Curved Sticks**

Zintra Curved Sticks introduce a captivating and affordable curved dimension to flat surfaces, which are typically challenging and costly to achieve.

Zintra Curved Sticks comprise a single set of sticks that allow you to create a simple curve, or you can combine multiple sets to design a dramatic ceiling or wall wave feature.





Scan the QR code to find out

# **Applications**




Walls




Ceilings









# **Curved Sticks Specifications**

Dimensions	45.6" (1158mm) w x 108" (2743mm) h Each Stick Narrow: 1.7" (42mm) Wide: 4" (102mm)
Colors	Available in all 64 Colors, including Zintra Timber and Premium Prints. See p.11, p.12 and p.13. See p.214 for Powder Coat Colors.
NRC Rating	0.95
Aw Rating	0.60
Suggested Installation	Ships flat packed. Assembly required. Check out the Technical Documents on our website to download the Installation Guide for more details.
Customization	The Zintra Acoustic Solutions range is customizable to your project. Please get in touch with your local contact for details.



# **Plain Tiles**

With 14 unique shapes, available in all 64 colors, Zintra Plain Tiles provide endless design possibilities.

Pair Plain Tiles with Etch Tiles or mix and match colors for dramatic customized effects. The versatile nature of Plain Tiles allows for the effortless creation of environments that are both aesthetically pleasing and acoustically optimized.





Scan the QR code to find out







Walls

Ceilings





### Tablet A

24 Tiles / set, 35.52 SF (3.36 m²)

Front View

36.50" (92/.1mm)	
	.
	.

### Tablet B

15 Tiles / set, 34.65 SF (3.15 m²)

Front View

36.50" (927.1mm)	
	10"(7)

### Tablet C

9 Tiles / set, 33.3 SF (3.06 m²)

Front View


36.50" (927.1mm)	

NOTE: A, B and C all have a chamfer edge.

### Battleaxe

13 tiles / set, 25.2 SF (2.3m²)


Front View



### Chevron

10 tiles / set, 31.7 SF (2.9m²)


Front View



### Diamond

20 tiles / set, 25.8 SF (2.4m²)


Front View



### Herringbone

12 tiles / set, 30.1 SF (2.8m²)


Front View



### Hexagon

10 tiles / set, 24.6 SF (2.3m²)


Front View



### Hourglass

5 tiles / set, 21.8 SF (2m²)


Front View



### Jigsaw

8 tiles / set, 23.7 SF (2.2m²)


Front View




### Trapezium

15 tiles / set, 31.8 SF (3m²)

Front View



### Geometrics



### **Plain Tiles Specifications**

Dimensions	See above.
Colors	Available in all 64 Colors, including Zintra Timber and Premium Prints. See p.11, p.12 and p.13
NRC Rating	Directly Mounted: 0.45
Aw Rating	Directly Mounted: 0.30
Suggested Installation	Supplied as a set of individual tiles. Arrange as required and fix to the wall with construction adhesive. As an alternative solution, use a Non-Destructive Removable Fixing (NDRF) (sold separately). See p.200 for hardware detail. Check out the Technical Documents on our website to download the Installation Guide for more details.
Additional Comments	Also available with Digital Print. Not suitable as a free standing product.
Customization	The Zintra Acoustic Solutions range is customizable to your project. Please get in touch with your local contact for details.

178. ZINTRA 179.

# **Box Tiles**

Zintra Box Tiles do more than just cover walls—they imbue spaces with texture, depth, and bold definition while delivering superior acoustic benefits, making them an ideal all-around solution for enhancing the ambiance of restaurants, hotels, or office spaces.

Available in small to large formats, Box Tiles allow you to choose from Zintra's full color range to effortlessly complement any design theme. Whether you're aiming for a seamless wall-to-wall installation or a striking acoustic art feature, Box Tiles offer the flexibility to achieve your vision.

Available in 10 Designs Applications



Scan the QR code to find out



Walls




Ceilings










Product: Zintra Box Tiles Hex | Color: Smoke, Slate & Fossil


### Emerald 8x96

3 tiles / set, 8" (203mm) w x 96" (2438mm) h x 4" (102mm) d 16 SF (1.5m²)




### Emerald 16x96

2 tiles / set, 16" (406mm) w x 96" (2438mm) h x 4"(102mm) d 21.34 SF (1.98m²)




### Emerald 32x96

1 tile / set, 32" (813mm) w x 96" (2438mm) h x 4" (102mm) d  $\,$ 




### Emerald 16x24

6 tiles / set, 16" (406mm) w x 24" (610mm) h x 4" (102mm) d 16 SF (1.5 $m^2$ )




### Emerald 32x32

2 tiles / set, 32" (813mm) w x 32" (813mm) h x 4" (102mm) d 14.22 SF (1.32m²)




### Emerald 16x16

8 tiles / set, 16" (406mm) w x 16" (406mm) h x 4" (102mm) d 14.25 SF (1.36m²)




### Emerald 32x48

2 tiles / set, 32" (813mm) w x 48" (1219mm) h x 4" (102mm) d 21.34 SF (1.98m²)




### Emerald 8x48

5 tiles / set, 8" (203mm) w x 48" (1219mm) h x 4" (102mm) d 13.35 SF (1.25m²)




### Emerald 16x48

3 tiles / set, 16" (406mm) w x 48" (1219mm) h x 4" (102mm) d 16 SF (1.5m²)



### Diamond

15 tiles / set, 11.7 SF (1.1m²) 9.5" (242mm) w x 15" (381mm) h x 3" (76mm) d / tile



### Hex

12 tiles / set, 12.1 SF (1.1m²) 15" (381mm) w x 13" (330mm) h x 3" (76mm) d / tile



### **Pitched**

10 tiles / set, 17.8 SF (1.7m²)

15" (406mm) x 15" (406mm) h x 3" (76mm) d / tile



### Square 8x8


21 tiles / set, 9.33 SF (0.87m²) 8" (203mm) x 8" (203mm) h Available in 1.5" (38mm), 2.3" (57mm), 3" (76mm) d / tile



### Square 16x16

10 tiles / set, 17.8 SF (1.65m²) 16" (406mm) x 16" (406mm) h

Available in 1.5" (38mm), 2.3" (57mm), 3" (76mm) d/tile



### Rectangle 8x16

14 tiles / set, 12.44 SF (1.16m²) 8" (203mm) x 16" (406mm) h

Available in 1.5" (38mm), 2.3" (57mm), 3" (76mm) d / tile



### **Box Tiles Specifications**


Dimensions	See above.
Colors	Available in all 64 Colors, including Zintra Timber and Premium Prints. See p.11, p.12 and p.13
NRC Rating	Directly Mounted: 1.15
Aw Rating	Directly Mounted: 1.00
Suggested Installation	Supplied as a set of individual tiles. Arrange as required and fix to the wall with construction adhesive. As an alternative solution, use a Non-Destructive Removable Fixing (NDRF) (sold separately). See p.200 for hardware detail. Check out the Technical Documents on our website to download the Installation Guide for more details.
Customization	The Zintra Acoustic Solutions range is customizable to your project. Please get in touch with your local contact for details.

186. ZINTRA 187.

# **Etch Tiles**

Zintra Etch Tiles combine sophisticated design with superior sound absorption.
Precision-cut V-grooves create
captivating patterns that add depth and dimension to any room, with Zintra's wide color palette offering endless possibilities.

Perfect for modern interiors, Etch Tiles can be used as a standalone feature or seamlessly integrated with Zintra Plain Tiles for a cohesive look.







Ceilings

Available in 15 Designs Applications Scan the QR code to find out Walls












### Crossbar A

9 tiles / set, 33.3 SF (3.06 m²)


Front View



### Crossbar B

9 tiles / set, 33.3 SF (3.06 m²)

Front View



### Link A


24 tiles / set, 35.52 SF (3.36 m²)

Front View 36.50" (927.1mm)

### Link B

24 tiles / set, 35.52 SF (3.36 m²)


Front View



### **Fluted**

9 tiles / set, 35.37 SF (3.24 m²)

Front View



### Louver

9 tiles / set, 35.37 SF (3.24 m²)


Front View



### **Shadow Box**

21 tiles / set, 35.07 SF (3.15 m²)


Front View



### **Battleaxe**

13 tiles / set, 25.2 SF (2.3m²)


Front View



### Chevron

10 tiles / set, 31.7 SF (2.9m²)


Front View



### Hexagon

10 tiles / set, 24.6 SF (2.3m²)


Front View



# Hourglass

5 tiles / set, 21.8 SF (2m²)


Front View



### Diamond

20 tiles / set, 25.8 SF (2.4m²)


Front View



### Plank

24 tiles / set, 33.5 SF (3.1m²)


Front View



### Square

8 tiles / set, 31 SF (2.9m²)


Front View



## Herringbone

12 tiles / set, 30.1 SF (2.8m²)


Front View



### Trapezium

15 tiles / set, 31.8 SF (2.9m²)

Front View



### Triangle

16 tiles / set, 31 SF (2.3m²)

Front View 23.62" (600mm)

### **Etch Tiles Specifications**

Dimensions	See above.
Colors	Available in all 64 Colors, including Zintra Timber and Premium Prints. See p.11, p.12 and p.13
NRC Rating	Directly Mounted: 0.45 - 0.75
Aw Rating	Directly Mounted: 0.30 - 0.60
Suggested Installation	Supplied as a set of individual tiles. Arrange as required and fix to the wall with construction adhesive. As an alternative solution, use a Non-Destructive Removable Fixing (NDRF) (sold separately). See p.200 for hardware detail. Check out the Technical Documents on our website to download the Installation Guide for more details.
Additional Comments	Also available with Digital Print. Not suitable as a free standing product.
Customization	The Zintra Acoustic Solutions range is customizable to your project. Please get in touch with your local contact for details.

194. **ZINTRA 195.** 

# **Pattern Tiles**

Discover the versatility and creative potential of Zintra Pattern Tiles, where timeless elegance meets contemporary flair.

Each intricately cut tile, crafted from high-quality Zintra material, mounts onto a back panel in your choice of matching or contrasting Zintra colors. This adds style, texture, contrast, and depth to your walls or ceilings while offering superior sound absorption.





Scan the QR code to find out











Walls


Ceilings














9 tiles / set, 35.37 SF (3.24m²)


### Front View



### Billet B

9 tiles / set, 35.37 SF (3.24m²)


### Front View



### Halftone A

18 tiles / set, 35.46 SF (3.24m²)


### Front View



### Halftone B

18 tiles / set, 35.46 SF (3.24m²)

### Front View




15.50" (393.7mm)

### **Groove A**


9 tiles / set, 33.3 SF (3.06m²)

### Front View




### **Groove B**

9 tiles / set, 33.3 SF (3.06m²)




# Pathway A 21 tiles / set, 35.07 SF (3.15m²)





### Pathway B


Front View



### Arch

16 tiles / set, 25.7 SF (2.4m²)


Front View



### Lotus

10 tiles / set, 25.2 SF (2.3m²)


Front View



### **Entwine**

10 tiles / set, 22.8 SF (2.1m²)


Front View



### Striae

14 tiles / set, 29.8 SF (2.8m²)


Front View



### Leap

10 tiles / set, 22.8 SF (2.1m²)


Front View



### Surge

8 tiles / set, 24.5 SF (2.3m²)

Front View



### **Pattern Tiles Specifications**

Dimensions	See above.
Colors	Available in all 64 Colors, including Zintra Timber and Premium Prints. See p.11, p.12 and p.13
NRC Rating	Directly Mounted: 0.45 - 0.75
Aw Rating	Directly Mounted: 0.30 - 0.60
Suggested Installation	Supplied as a set of individual tiles. Arrange as required and fix to the wall with construction adhesive. As an alternative solution, use a Non-Destructive Removable Fixing (NDRF) (sold separately). See p.200 for hardware detail. Check out the Technical Documents on our website to download the Installation Guide for more details.
Additional Comments	Also available with Digital Print. Not suitable as a free standing product.
Customization	The Zintra Acoustic Solutions range is customizable to your project. Please get in touch with your local contact for details.



# Floor to Ceiling Screens

Zintra Floor to Ceiling Screens utilize a steel cable to suspend Zintra Panels or Patterns. They are an easy-to-install and cost-effective room dividing solution.





# Cable Side Grippers

### Front view


Size varies, as it depends on the panel being suspended













Double Sided Gripper

### Cable Standoff

### Front view

Size varies, as it depends on the panel being suspended





# Floor to Ceiling Specifications


Colors	Available in all 64 Colors, including Zintra Timber and Premium Prints. See p.11, p.12 and p.13
NRC Rating	With 6" (152mm) Air Gap: Up to 0.90 With 12" (305mm) Air Gap: 0.95
Aw Rating	With 6" (152mm) Air Gap: Up to 0.95 With 12" (305mm) Air Gap: 0.95
Suggested Installation	Fix cables into floor and ceiling with suitable anchors (requires rigid ceiling and floor), tension cable and hang screen using supplied side gripper or standoff.
Additional Comments	Zintra Patterns and Floor to Ceiling System sold separately.
Customization	The Zintra Acoustic Solutions range is customizable to your project. Please get in touch with your local contact for details.


# **Sliding Screens**


Zintra Sliding Screens combines Zintra Patterns with easy to install hardware, allowing flexible room division with outstanding acoustic quality.



# Sliding Track Assembly Zintra Patterns not included







# **Sliding Screens Specifications**

Dimensions	Screens are dependent on order. Sliding Track comes in 108" lengths	
Colors	Available in all 64 Colors, including Zintra Timber and Premium Prints. See p.11, p.12 and	p.13
NRC Rating	With 6" (152mm) Air Gap: Up to 0.90   With 12" (305mm) Air Gap: 0.95	
Aw Rating	With 6" (152mm) Air Gap: Up to 0.95 With 12" (305mm) Air Gap: 0.95	
Suggested Installation	Fix track to ceiling with suitable anchors (requires rigid ceiling), hang panel on track, insert decorative end caps.	
Additional Comments	Zintra Patterns, Rollers and Double Sliding Track are sold separately.  Available as one single screen or overlapping multiple screens.	
Customization	The Zintra Acoustic Solutions range is customizable to your project. Get in touch with your local contact for details.	





### Adjustable Suspension Kit (ASK)

Dimensions: Steel Cable North America / Asia – 5' (1524mm)

Europe - 6 ½ (2000mm)

Finish: Silver

Notes: Kit includes Steel Cable, Barrel Fixing, Anchor Bolt

& Adjustable Toggle

Used With: Baffles – Individual & Systems, Clouds, Connect & Shapes Comments: 5' length is standard. Ad'tl lengths available upon request



### 4 Way Adjustable Cable Kit

Dimensions: Steel Cable 5' (1524mm)

Finish: Brushed stainless steel

Notes: Kit includes Steel Cable, 2x leg cables with toggle end, Barrel

Fixing, Anchor Bolt & Adjustable 4-way splitter

Used With: Baffles Connect Cubix, Hive, Prismatic & Turbine Cloud Comments: 5' length is standard. Ad'tl lengths available upon request



### Y- Hook Cable Hanger

Dimensions: Gripple Angel Y-Hook 11.8" (300mm) with Top Hat End Fixing,

5' (1524mm) Cable Hanger.

Finish: Brushed Silver

Notes: Refer to installation guide on our website for where

and how to Install.

Used With: Mesh Baffles

Comments: 5' length is standard. Ad'tl lengths available upon request



\*rope not included

### Wire Clamp

Dimensions: Suitable for 3/16" diameter

Finish: Zinc-Plated Steel

Notes: Easy-Install Wire Clamp (Not for Lifting). Used when

installing multiple mesh baffle systems together.

Used With: Mesh Baffles



### Square Tube 1" (25mm) X 1" (25mm)

Dimensions: 1" (25mm) x 1" (25mm) x 108" (2743mm)

Finish: Satin Aluminium or Black

Used With: Baffles, Sticks

\*Can come Notched or Unnotched dependent on product



### **U-Channel**

Dimensions: North America/Asia – 0.5" (12mm) x 0.5" (12mm) x 108" (2743mm)

Finish: Black or White

Notes: Compatible with ½" (12mm) thick Zintra Acoustic Solutions

Used With: Individual Baffles



### **Twist Clip Threaded**

Finish: Silver

Notes: North America/Asia – Compatible with 15"/16" ceiling grid

Europe - Compatible with T24 ceiling grid

Requires Adjustable Suspension Kit (ASK) (sold separately)

Used With: Baffle Systems, Baffles Individual, Clouds & Shapes



Finish: Clear

Notes: Not available in Europe

Compatible with 15"/16" ceiling grids Requires S-Hook (sold separately)

Used With: Individual Baffle

### Twist Clip Loop

Finish: White

Notes: North America/Asia – Compatible with 15"/16" ceiling grid

Europe – Compatible with T24 ceiling grid

Requires S-Hook (sold separately)

Used With: Individual Baffles



### S-Hook

Finish: Silver

Notes: Requires Twist Clip – Loop or Twist Clip – Swivel

Used With: Individual Baffle



### **Cup Hook**

Dimensions: Overall Dimensions 1.26" (32mm) x 0.65" (17mm)

Finish: White or Black

Used With: Individual Baffles – Hook & Small Shapes

### Grommet



Dimensions: 3/4" (19mm) diameter

Finish: Silver or Brass

Notes: Suitable for ½" (12mm) only

Used With: Baffle Systems Individual Grommet



### Strut Mount

Dimensions: 1.5" w x 1.875" l

Finish: Silver

Notes: Includes: (1) Strut Mount & (1) Push-In Rivet

Compatible with 1-5/8" wide strut channels. Suitable strut heights ranging from 13/16", 1-3/8", 1-5/8", 2-7/8" or 3-1/4". Requires Beam Clips (sold with product or purchased ad'tl). Strut channel not

included.

Used With: Beams





### Beams Clip 1/2" (12mm)

Dimensions: 1/2" (12mm)

Finish: Clear – injection moulded plastic.

Notes: Clear hardware for securing 1/2" Zintra to a wall or ceiling.

Used With: Beams & Box Tiles



### Beams Clip 1" (24mm)

Dimensions: 1" (24mm)

Finish: Clear – injection moulded plastic.

Notes: Clear hardware for securing 1/2" Zintra to a wall or ceiling.

Used With: Beams & Box Tiles



### Standoff - 1" (25mm)

Finish: Brushed Stainless Steel

Notes: Compatible with Zintra Acoustic Solutions up to 1" (24mm) thick

Used With: Panels, Patterns, Etch & Emboss



### Standoff - 1.75" (45mm)

Finish: Brushed Stainless Steel

Notes: Compatible with Zintra Acoustic Solutions up to 1" (24mm) thick

Used With: Panels, Patterns, Etch & Emboss



### Standoff - 2.5" (65mm)

Finish: Brushed Stainless Steel

Notes: Compatible with Zintra Acoustic Solutions up to 1" (24mm) thick

Used With: Panels, Patterns, Etch & Emboss



### **Z-Clips**

Dimensions: 1.5" (38mm) or 72" (1829mm) Finish: Aluminium mill finish

Notes: Sold as pairs

Used With: Panels, Etch & Patterns with Backer



### Non Destructive Removable Fixing - NDRF

Dimensions: 2" (51mm) w x 1" (25mm) h x 0.2" (4mm) d

Notes: Sold as a kit – 12 pairs

Used With: Panels, Patterns, Etch, Textures & Plain Tiles



### **Double Sliding Track**

Dimensions: North America/Asia – 1.4" (35 mm) x 2.2" (56mm) x 96" (2438mm)

Finish: Satin Aluminium Used With: Sliding Track



### Roller Kit

Finish: Stainless Silver

Notes: Minimum of (2) Roller Kit required for 1/2" (12mm) panels

48" (1220mm) wide or less

(3) Roller Kit required for panels wider than 48" (1220mm)

Requires Double Sliding Track (sold separately)

Kit includes roller and fixing plate Not suitable for 1" (24mm) products

Used With: Sliding Track



### Cable Standoff

Finish: Brushed Stainless Steel

Notes: Requires Floor to Ceiling Cable Kit (sold separately)

Compatible with Zintra 1/2" (12mm) Sheets only

Used With: Floor to Ceiling Cable Kit



### Cable Side Gripper Single

Finish: Brushed Stainless Steel

Notes: Requires Floor to Ceiling Cable Kit (sold separately)

Compatible with Zintra 1/2" (12mm) Panels only

Used With: Floor to Ceiling Cable Kit



### Cable Side Gripper Double

Finish: Brushed Stainless Steel

Notes: Requires Floor to Ceiling Cable Kit (sold separately)

Compatible with Zintra 1/2" (12mm) Sheets only

Used With: Floor to Ceiling Cable Kit



### Floor To Ceiling Cable Kit

Dimensions: 16' (4877mm) Cables

Finish: Silver

Notes: Requires Side Gripper Single, Side Gripper Double

or Cable Standoff (sold separately)

Used With: Panel, Patterns & Etch

### **TRIMS**

### J-Trim

Dimensions: 0.5" (12mm) x 1" (25 mm) x 108" (2743mm)

Finish: Satin Aluminium

Notes: Compatible with Zintra ½" (12mm) Sheets only

Used With: Panels, Patterns, Etch & Textures

### L-Angle 1" (25mm) X 1" (25mm)

Dimensions: 1" (25mm) x 1" (25mm) x 108" (2743mm)

Finish: Satin Aluminium

Used With: Panels, Patterns, Etch & Textures

### L-Angle 1/2" (12mm) X 1" (25mm)

Dimensions: 1" (25mm) x 0.5" (12mm) x 108" (2743mm)

Finish: Satin Aluminium

Used With: Panels, Patterns, Etch & Textures

### **Radius Trim**

Dimensions: 1" (24mm) x 1" (24mm) x 108" (2743mm)

Finish: Satin Aluminium

Notes: Compatible with Zintra 1/2" Sheets only

Custom finishes available for an additional fee

Used With: Panels, Patterns, Etch & Textures

# **Powder Coat Colors**

12 Powder Coat Colors available for selected Baffles and Sticks products.





