

# Design Guide




Product: Zintra Emboss Panel Scallop | Color: Parchment

## **Beautiful Spaces**

## Create spaces that look good and sound good.

Zintra's Acoustic Solutions for walls and ceilings enhance the aesthetics of indoor spaces while delivering superior acoustic performance. Available in a wide range of colors, sizes, and fabrication options, Zintra is easy to configure, quick to ship, and simple to install.



Product: Zintra Etch Panel Tesselate | Color: Elderberry & Meadow

## Contents

#### 2 Capabilities

- 4 Building a Sustainable Future
- 6 Superior Acoustics
- 9 Your Acoustic Partner
- 10 Color Never Sounded So Good

#### 20 Zintra Print

- 22 Premium Wood
- 26 Premium Material
- 30 Zintra Print Art
- 38 Zintra Print Color
- 40 Studio Colors
- 41 Spirit Colors

#### 42 Zintra Panels

- 44 12mm (1/2") Acoustic Panel
- 45 24mm (1") Acoustic Panel
- 46 3D Panel
- 50 Emboss Panel
- 58 Layers Panel
- 62 Pattern Panel
- 70 Etch Panel
- 78 Organic Etch Panel
- 84 Texture Panel
- 88 Sculpted Panel

#### 92 Ceiling Features

- 94 Clouds
- 100 Shapes
- 104 Emboss Ceiling Tiles

#### 108 Baffles

- 110 Baffle Systems
- 116 Box Baffles
- 120 Mesh Baffles
- 128 Beams
- 134 Connect

#### 140 Acoustic Sticks

- 142 Sticks Bundles
- 146 Sticks Corner
- 148 Sticks Transition
- 150 Sticks Trim
- 156 Independent Sticks
- 160 Quadratic Sticks
- 164 Double Sided Sticks
- 168 Curved Sticks

#### 172 Tiles

- 174 Plain Tiles
- 180 Box Tiles
- 188 Etch Tiles
- 196 Pattern Tiles

#### 204 Hardware

- 206 Floor To Ceiling Screens
- 208 Sliding Screens
- 210 Hardware Options
- 214 Powder Coat Colors

# Capabilities

Zintra Acoustic Solutions delivers design-driven, top-tier acoustic solutions. With an emphasis on refining spaces, our approach centers on improving sound quality, curbing echoes and background noise through the integration of acoustic science into our product development.

-

Our expert team, based in Australia and the USA, is dedicated to producing products that not only meet global standards but also precisely address your acoustic needs.

15

ith

1

Product: Zintra Baffles Cirrus Low | Color: Pewter Project: Toronto Region Board of Trade | Designer: SGH Design Partners



1191001

## Building a Sustainable Future

We are dedicated to ongoing investment in innovative technologies and materials that pave the way for a sustainable future.

Made from 100% recyclable materials and certified by Declare, GREENGUARD, and HPD, Zintra stands out as the perfect material for the green buildings of today and tomorrow, with its ability to reduce noise levels, minimize indoor air pollutants, and a Class A fire rating.

Our commitment to the environment goes hand in hand with our dedication to human well-being and thoughtfully designed spaces that promote health and comfort.

## Made from 100% recyclable materials

60% Post-Consumer recycled content from PET bottles

**35%** Pre-Consumer recycled content from PET chips

5% PLA - a bio-based material



Low levels of volatile organic compounds

Contains no formaldehyde



Global Recycling Standard





## **Superior Acoustics**


Hybrid working, collaborative learning and evolving social dynamics have driven the need for adaptable open spaces. These spaces often come with poor acoustics, which make it hard to communicate and difficult to concentrate.

The properties of a space - its dimensions, the materials used, and how they are applied - define how sound is transmitted.

The ability of a material to absorb sound is critical to good acoustics, which is calculated as the Noise Reduction Coefficient (NRC), Sound Absorption Average (SAA), and Weight Sound Absorption Average (aw). Our products are independently tested by third-party test labs that have been certified by The American Society for Testing and Materials (ASTM) and by the International Standards Organisation (ISO).

Zintra products have been tested according to ASTM C423-17 and received NRC ratings ranging from 0.45 – 1.10, depending on its depth, shape and the distance it's installed from a surface.

Frequency/Hz		100	125	160	200	250	315	400	500	630	800	1000	1250	1600	2000	2500	3150	4000	SAA	NRC	ā	
		0″	0.03	0.01	0.090	0.04	0.05	0.09	0.12	0.25	0.32	0.49	0.61	0.72	0.82	0.85	0.91	0.94	0.95	0.44	0.45	0.30
a 1/2"		2″	0.20	0.16	0.22	0.32	0.46	0.56	0.63	0.80	0.89	1.03	1.04	0.99	1.07	1.00	0.93	0.87	0.92	0.81	0.85	0.75
zintra	WALL		0.29	0.46	0.44	0.57	0.69	0.81	0.97	0.96	0.91	1.04	0.92	0.80	0.94	0.94	0.91	0.90	0.91	0.87	0.90	0.95
	W W	12"	0.22	0.22	0.34	0.66	0.73	0.83	0.96	0.91	0.84	0.89	0.98	0.97	1.06	1.13	1.17	1.21	1.21	0.93	0.95	0.95
	E FROM																					
	DISTANCE	0"	0.01	0.04	0.13	0.61	0.77	0.77	0.92	0.98	1.04	1.09	1.00	0.97	0.97	0.96	0.93	1.00	0.99	0.75	0.75	0.60
zintra 1"	DIS.	2″	0.25	0.36	0.42	0.66	0.69	0.77	0.88	0.99	0.90	0.92	0.86	0.90	0.97	1.00	0.97	0.99	1.00	0.92	0.95	0.95
		6″	0.17	0.12	0.34	0.38	0.63	0.83	0.91	1.10	1.14	1.13	1.06	1.02	1.13	1.14	1.15	1.18	1.14	0.97	1.00	0.90
		12"	0.21	0.26	0.39	0.71	0.77	0.95	0.94	0.93	0.91	1.07	1.19	1.13	1.18	1.21	1.22	1.26	1.25	1.02	1.00	1.00







Product: Zintra Baffle System Custom Wave | Color: Ecru with Satin Black Powder Coat | Project: Rydges Coolangatta Designer: Design Nu | Photographer: AH Photography

## Your Acoustic Partner

#### **Acoustic Consulting Services**

Leverage the expertise of our skilled in-house acoustic consultancy to develop creative and quality acoustic solutions tailored to the specific acoustic demands of your space.



acoustician Tailored solutions



Expert guidance

Innovation and creativity

### **Project Customization**

The Zintra Acoustic Solutions range is fully customizable to meet your design requirements, providing flexibility for any project. Our experienced team of specialist designers, project managers and production are ready to guide you through the process to deliver the best outcomes for your project.



Customization

Bespoke Design



Expert Support

#### **Enhanced Project Execution** with Work Shop Drawings

Our Work Shop Drawings (WSDs) deliver accuracy and clarity, ensuring manufacturing is precise to specifications and streamlines production with clear guidelines to enhance efficiency. Serving as a quality control benchmark, WSDs guarantee that each project detail meets the highest standards. Additionally, our adherence to industry standards

and regulations with our WSDs helps you navigate compliance smoothly and avoid potential issues.



Clarity and Precision

Streamlined Production



Quality Control

Regulatory Compliance

#### **Acoustic Solutions for Diverse Applications**


Zintra Acoustic Solutions offers a wide range of products and designs including Panels, Screens, Tiles, Ceiling Baffles and features for various industries including Commercial, Hospitality, Education and Healthcare.

### **Domestic Production**

Zintra Acoustic Solutions is proud to be fabricated locally for improved quality control, reliability, and quick turnaround. Efficient local processes guarantee fast delivery without sacrificing quality.

## **Color Never Sounded So Good**

The Zintra Panel colors have been developed with versatility in mind. Craft standalone color statements or select a combination of complementary and contrasting tones for indoor spaces that look exceptional and sound extraordinary.



## Available in 30 Solid Colors + 4 Timber Species



\* Also available in 24mm (1") All colors on this page are stocked products.

ate*	Pewter*
reige	Fossil
noke	lvory
272	
hment	Frost*
live	Malachite
nshine	Mandarin
chre	Saffron
Bark	Ecru*
ilight	Midnight
Sky	Cobalt
	Ironbark
FU EWAND CA	

Merbau

## **18 Premium Material**

Recreate the striking aesthetics of architectural finishes with breathtaking realism.

Terrazzo Light (Base: Ivory)	Terrazzo Medium (Base: Greige)	Terrazzo Dark (Base: Slate)	
Travertine Light (Base: Linen)	Travertine Medium (Base: Ecru)	Travertine Dark (Base: Ecru)	
Shale Light (Base: Chambray)	Shale Medium (Base: Cadet)	Shale Dark (Base: Slate)	
Raku Bone (Base: Ivory)	Raku Luster (Base: Ecru)	Raku Jade (Base: Greige)	
A PARTY A			
Concrete Cast (Base: Pebble)	Concrete Polished (Base: Fossil)	Concrete Dark Tint (Base: Slate)	
Terracotta Sun Bleached (Base: Linen)	Terracotta Mission (Base: Brick)	Terracotta Antique (Base: Brick)	



12. Product: Zintra Premium Material | Color: Shale Medium

## 12 Premium Wood

Rich tones and natural grains epitomize our photo realistic wood finishes.

Knotty Pine (Base: Linen)	Maple (Bas
Australian Walnut (Base: Bark)	Claro Walnut
Rustic Walnut (Base: Bark)	Cherry (Ba
	1.194
Lacewood (Base: Ecru)	Redwood (B
<image/>	



Base: Ecru)

White Oak (Base: Ecru)



## Earthy Elegance

Ecru —

-

## Coastal Harmony

Linen


Ecru

Meadow

Saffron -



Cadet -



## **Bold Statements**

## Warm and Cozy

Bark

Ecru

lvory





Saffron —

18.







# Zintra Print

Elevate your acoustic panels with our Zintra Print options, blending functionality and artistry. Designed to bring a unique style to your interior space, our offerings – Premium Material, Premium Wood, Print Art, and Print Color – ensure a personalized aesthetic that crafts an environment not only to be seen but truly felt.





## **Premium Wood**


Zintra Premium Wood provides a photorealistic, lightweight, and easy-to-fabricate alternative to real wood. It features prints of twelve artisan species from the US and around the world, showcasing rich tones and natural grains that range from mild to wild.

This collection helps bring the outdoors in, allowing you to create warm, inviting, and acoustically minded commercial spaces that connect people with nature. Coordinating base colors have been perfectly paired to enhance a sense of depth and ensure print crispness and clarity that is second to none.


Refer to **page 13** for swatches.







Walls Ceilings




22.

Product: Zintra Premium Wood Color: Rustic Walnut

ZINTRA 23.





ZINTRA 25.

## **Premium Material**

Zintra Premium Material offers individually crafted, photorealistic, lightweight, and easy-to-fabricate architectural finishes, ideal for acoustically minded commercial and hospitality spaces.

Available in a variety of concretes, stones, and terracottas across a range of colors and substrates, Premium Material's coordinating base colors have been expertly paired to add depth and ensure unparalleled print crispness and clarity.


Refer to **page 12** for swatches.

#### Available in 18 designs Applications

to find out

more











Walls








PRINTS


ZINTRA 29.

## Zintra Print Art



#### 1. Choose your Design


Over 300 curated designs in multiple colorways are provided as the inspiration to print on your chosen base color. Zintra Print Art includes a Materials collection, featuring Timber, Metal, Stone and Concrete prints, and an Artwork collection, incorporating Abstract, Botanical and Geometric designs. In addition, we have partnered with internationally renowned artists to provide unique content for your space.



#### 2. Choose your Base

Print onto the entire Zintra Acoustic 1/2" (30 colors) and 1" (6 colors) panel range. While the color of the Zintra base will impact the color of the print, it's easy to print a layer of white before the color layer to deliver color accuracy.

#### See **p.40** and **41**.




#### 3. Define your Space

The Zintra Print Art offer is made to order to suit your project. Provide us with the sizing and layout required to specifically fit your space and the Zintra Print panels will be provided to size, ready for install.

#### Available in over 300 designs

### Applications

Scan the QR code to find out more




Ceilings




Product: Zintra Print Art Collaborator, Mountain Ranges | Substrate: Frost

ZINTRA 31.






ZINTRA 33.












Product: Zintra Print Art Lines & Geometrics, French Linen Duck Egg | Substrate: Frost




## Zintra Print Color



Pebble

#### 1. Choose your Base

Frost and Pebble have been chosen to offer contrasting base panels in both 1/2" and 1". Frost gives a clean, crisp aesthetic with the most accurate color matching, while Pebble offers a softer, more muted aesthetic with a heathered effect.




Spirit Colors

Studio Colors

#### 2. Choose your Color

We've carefully chosen a broad, contemporary color palette to expand the range. 56 Studio colors reflect the latest interior design trends, while 10 Spirit colors are bolder and more vibrant, to showcase your school or team brand.

See **p.40** and **41**.





#### 3. Create your Own

If one of the 66 Zintra Print colors doesn't quite meet your brief, it's quick and easy to create your own. Simply give us the Pantone color you're trying to match, and we will create a sample for you.

#### Available in 66 designs Applications









ZINTRA 39.

## **Studio Colors**

56 soft colors to reflect the latest interior design trends.





## **Spirit Colors**

10 vibrant colors to showcase your school or college.



### **Edge Banding**

The Zintra Print range offers the unique ability to create low-volume colored edge banding. The edge banding is available in the full range of Studio and Spirit colors, or we can easily customize the color for you.

Edge banding can be used to match or contrast the printed surface on selected Zintra Acoustic Solutions.




ZINTRA 41.

# Zintra Panels

Experience the perfect synergy of acoustic excellence and visual elegance with Zintra Acoustic Panels. Ideal for commercial, hospitality, and institutional projects, Zintra Acoustic Panels offer a diverse range of aesthetics. Crafted from 100% recyclable materials, Zintra Panels boast exceptional sound absorption capabilities for walls, ceilings, and screens.

Product: Zintra Plain Panel 42. Color: Saffron & Elderberry





## 1/2" Acoustic Panel

Zintra 1/2" Panel boasts exceptional sound absorption capabilities for walls and ceilings. Use it as is or fabricate it into a designed solution. Measuring 110" in length, these join-free panels are easy to fabricate and install. Choose from a palette of 30 solid colors and 4 timber prints, ensuring effortless integration into any space.


#### **Specifications**

Dimensions	48" (1219mm) x 108" (2743mm) x 1/2" (12mm)				
Colors	Available in all 64 Colors, including Zintra Timber and Premium Prints. See p.11, p.12 and p.13				
NRC Rating	Directly Mounted: 0.45	With 2" (50mm) Air Gap: 0.85	With 6" (152mm) Air Gap: 0.90		
Aw Rating	Directly Mounted: 0.30	With 2" (50mm) Air Gap: 0.75	With 6" (152mm) Air Gap: 0.95		
Suggested Installation	n Adhere to substrate using contact adhesive or Liquid Nails. Panel can be mechanic fixed using details similar to glass fittings. Check out the Technical Documents on a website to download the Installation Guide for more details.				
Additional Comments	Also available with Digital Print. Not suitable as a free standing product.				
Customization The Zintra Acoustic Solutions range is customizable to your Please get in touch with your local contact for details.			our project.		

Available in all 64 Colors

Applications

Scan the QR code to find out more



Walls

## 1" Acoustic Panel

Zintra 1" Panel boasts exceptional sound absorption capabilities for walls and ceilings. Use it as is or fabricate it into a designed solution. Measuring 110" in length, these join-free panels are easy to fabricate and install. Choose from a palette of 6 solid colors ensuring effortless integration into any space.

#### **Specifications**

Dimensions	48" (1219mm) x 108" (2743mm) x 1" (24mm)				
Colors	Available in all 6 Solid Colors. Shown below.				
NRC Rating	Directly Mounted: 0.75 With 2" (50mm) Air Gap: 0.95 With 6" (152		With 6" (152mm) Air Gap: 1.00		
Aw Rating	Directly Mounted: 0.60	With 2" (50mm) Air Gap: 0.95	With 6" (152mm) Air Gap: 0.90		
Suggested Installation Adhere to substrate using contact adhesive or Liquid Nails. Panel of fixed using details similar to glass fittings. Check out the Technical website to download the Installation Guide for more details.			Technical Documents on our		
Additional Comments	Also available with Digital Print. Not suitable as a free standing product.				
Customization	The Zintra Acoustic Solutions range is customizable to your project. Please get in touch with your local contact for details.				

#### Available in 6 Colors

#### Applications



Walls Ceilings

#### **Available Colors**



ZINTRA 45.

## 3D Panel

Zintra 3D Panel adds a simple yet captivating design element to both straight or curved walls while also enhancing acoustics.


With a narrow panel design and the ability to be cut on site, these panels make wall-to-wall fitting effortless and eliminate the need for custom drawings.



部調回 Scan the QR code to find out more




Walls




Product: Zintra 3D Panel Batten 6 Color: Eucalyptus


ZINTRA 47.



**Peaks** 3 strips / set, 26.3 SF (2.4m<sup>2</sup>) 12" (305mm) w x 108.1" (2745mm) h x 1.6" (40mm) d / strip



**Batten 4** 3 strips / set, 27 SF (2.5m<sup>2</sup>) 12" (305mm) w x 108.1" (2745mm) h x 1.5" (37mm) d / strip




#### **3D Panel Specifications**

Dimensions	See above.			
Colors	Available in all 64 Colors, includir			
NRC Rating	Directly Mounted: 0.45			
Aw Rating	Directly Mounted: 0.30			
Suggested Installation	Refer to install guide for staple lo surface of the wall panel, then sta fashion across space. Check out the Installation Guide for more d			
Additional Comments	Not suitable as a free standing			
Customization	The Zintra Acoustic Solutions ro Please get in touch with your lo			
	Colors NRC Rating Aw Rating Suggested Installation Additional Comments			

Product: Zintra 3D Panel Batten 2, 4 and 6 | Color: Meadow


#### Batten 2

3 strips / set, 18.1 SF (1.7m²) 8.6" (218mm) w x 108.1" (2745mm) h x 1.5" (37mm) d / strip



#### Batten 6

3 strips / set, 27 SF (2.5m²) 12" (305mm) w x 108.1" (2745mm) h x 1.5" (37mm) d / strip



#### ling Zintra Timber and Premium Prints. See **p.11**, **p.12** and **p.13**

ocations (staples not included). Apply adhesive to the flat staple inside the groove to secure. Repeat in a tile like It the Technical Documents on our website to download details.

product.

range is customizable to your project. ocal contact for details.

## **Emboss Panel**


Zintra Emboss introduces a touch of luxury with its tactile, threedimensional designs, making it perfect for spaces that demand both noise absorption and aesthetic warmth.

Emboss' consistent patterns allow for seamless installation in all 4 directions, effortlessly crafting a visually captivating atmosphere.



#### Available in 18 designs Applications


20 Scan the QR code to find out more



Walls Ceilings

50.







PANELS












Constellation\*




Corduroy\*



**Corduroy Fine** 







Cumulus\*






Jungle\*






Molecular\*





Rivulet



Sandglass\*









Woven

### **Emboss Panel Specifications**

Dimensions	44" (1118mm) x 108" (2743mm)				
Colors	Available in all 64 Colors, including Zintra Timber and Premium Prints. See p.11, p.12 and p.13				
NRC Rating	Directly Mounted: 0.35 With 2" (50mm) Air Gap: 0.65 With 6" (152mm)		With 6" (152mm) Air Gap: 0.80		
Aw Rating	Directly Mounted: 0.30	With 2" (50mm) Air Gap: 0.60	With 6" (152mm) Air Gap: 0.75		
Suggested Installation	Adhere to substrate using contact adhesive or Liquid Nails. Check out the Technical Documents on our website to download the Installation Guide for more details.				
Additional Comments	zs Zintra Emboss Panels are only suitable for single sided applications. *These designs are also available as 23.7" (600mm) x 23.7" (600m) Tiles.				
Customization The Zintra Acoustic Solutions range is customizable to your project. Please get in touch with your local contact for details.					





Tapestry\*

Tidal\*

## Layers Panel

Zintra Layers delivers simplistic style and sound absorption with ease.

Whether you're aiming for a dramatic splash with vibrant strips of Layers, or a more subtle touch with the monochrome of Layers 3D, Layers offers a solution that is versatile, visually striking, and acoustically superior, with an NRC of 0.75 when adhered directly to the wall.


### Available in 2 designs





Applications

Walls




Product: Zintra Layers Panel 3D Color: Linen

ZINTRA 59.

PANELS



Layers 3D






#### Layers Panel Specifications

Dimensions	48" (1219mm) x 108" (2743mm)				
Colors	Available in all 64 Colors, includi				
NRC Rating	Directly Mounted: 0.75	With 2" (! Gap: 0.9!			
Aw Rating	Directly Mounted: 0.60	With 2" ( Gap: 0.9			
Suggested Installation	Adhere to substrate using contr mechanically fixed. Check out the Installation Guide for more				
Additional Comments	As Zintra Layers are hand-mac is not possible. All Zintra Layers				
Customization	The Zintra Acoustic Solutions ra Please get in touch with your la				

#### Layers



# Jing Zintra Timber and Premium Prints. See p.11, p.12 and p.13(50mm) Air<br/>95With 6" (152mm) Air<br/>Gap: 1.00With 12" (305mm)<br/>Air Gap: 1.00(50mm) Air<br/>95With 6" (152mm) Air<br/>Gap: 0.95With 12" (305mm)<br/>Air Gap: 1.00

tact adhesive, Liquid Nails or Z Clips. Panel can be t the Technical Documents on our website to download e details.

ide, an exact pattern match from one panel to the next rs are supplied on a Zintra Acoustic backer in Black.

range is customizable to your project. local contact for details.


## **Pattern Panel**

Zintra Pattern offers a broad and varied range of intricately cut designs, from classic to contemporary.

Use as is with one of our hardware options as a screen, or pair with a matching or contrasting solid Zintra backer for use as multi-dimensional, unique wall cladding.

### Available in 51 designs Applications








to find out more




Ceilings



Product: Zintra Pattern Panel Marquise | Color: Ecru

ZINTRA 63.

PANELS




64. Product: Zintra Pattern Panel Lost | Color: Parchment




ANELS


Product: Zintra Pattern Panel Circuit | Color: Greige

ZINTRA 65.







Nadu\*



Stone Age

Telugu\*





믿


لمرالم

Indl

Sutra

Dimensions			PATTERN ON BACKER 48" (1219mm) x 108" (2743mm) x 1" (24mm)		
			48" (1219mm) x 108" (2	2/43mm) x 1" (24mm)	
Colors	Available in all 64 Col	Available in all 64 Colors, including Zintra Timber and Premium Prints. See p.11, p.12 ar			
PATTERN ONLY NRC Rating	Directly Mounted: 0.45	With 2" (50mm) Air Gap: 0.85	With 6" (152mm) Air Gap: 0.90	With 12" (305mm) Air Gap: 0.95	
Aw Rating	Directly Mounted: 0.30	With 2" (50mm) Air Gap: 0.75	With 6" (152mm) Air Gap: 0.95	With 12" (305mm) Air Gap: 0.95	
PATTERN ON BACKER NRC Rating	Directly Mounted: 0.75	With 2" (50mm) Air Gap: 0.95	With 6" (152mm) Air Gap: 1.0	With 12" (305mm) Air Gap: 1.0	
Aw Rating	Directly Mounted: 0.60	With 2" (50mm) Air Gap: 0.95	With 6" (152mm) Air Gap: 0.95	With 12" (305mm) Air Gap: 0.95	
Suggested Installation	Zintra Pattern Only: Choose from one of our hardware options or choose your own to install as a room divider, ceiling tile or wall/ceiling feature. Zintra Pattern on Backer: Adhere to substrate using contact adhesive or Liquid Nails. Panel can be mechanically fixed using details similar to glass fittings. Check out the Technical Documents on our website to download the Installation Guide for more details.				
Additional Comments	Not suitable as a free standing product. Must define panel configurations for patterns with multiple options when ordering.				
Customization	The Zintra Acoustic Solutions range is customizable to your project. Please get in touch with your local contact for details.				

\*Available in an A/B configuration and/or A/A-Reverse configuration. See Product Drawings for details



## **Etch Panel**

Zintra Etch brings dynamic 3D designs and subtle textures to commercial, hospitality, and institutional interiors, offering both cutting-edge aesthetics and superior acoustic performance.

Crafted from a subtle 1/8" (3mm) v-groove, Etch creates calming environments that foster productivity and well-being. Mix and match with Zintra Plain Panels to add design and pricing versatility for a cohesive and sophisticated look.


Available in 15 designs Applications







Walls













PANELS

ZINTRA 75.








## **Etch Panel Specifications**

Dimensions	48" (1219mm) x 108" (2743mm) x 1/2" (12mm)				
Colors	Available in all 64 Colors, including Zintra Timber and Premium Prints. See p.11, p.12 and p.13				
NRC Rating	Directly Mounted: 0.45	With 2" (50mm) Air Gap: 0.85	With 6" (152mm) Air Gap: 0.90	With 12" (305mm) Air Gap: 0.95	
Aw Rating	Directly Mounted: 0.30	With 2" (50mm) Air Gap: 0.75	With 6" (152mm) Air Gap: 0.95	With 12" (305mm) Air Gap: 0.95	
Suggested Installation	Adhere to substrate using contact adhesive or Liquid Nails. Panel can be mechanically fixed using details similar to glass fittings. Check out the Technical Documents on our website to download the Installation Guide for more details.				
Additional Comments	Etch is a 1/8" (3mm) deep V groove. Not suitable as a free standing product.				
Customization	The Zintra Acoustic Solutions range is customizable to your project. Please get in touch with your local contact for details.				

## **Organic Etch Panel**

Zintra Organic Etch draws inspiration from artisan craftsmanship, seamlessly merging human creativity with the beauty of the natural world. Organic Etch panels add visual depth to interior spaces.

Available in a diverse range of designs and colors, each panel tells a story of simplicity, tactility, and imperfect perfection. Mix and match with Zintra Plain Panels to add design and pricing versatility for a cohesive and sophisticated look.



Available in 12 designs Applications








PANELS

Product: Zintra Organic Etch Panel Stream Horizontal | Color: Midnight


ZINTRA 79.



80. Product: Zintra Organic Etch Panel Rivers Vertical | Color: Cobalt









Ш		Į	Ve	rt

Dimensions	48" (1219) mm x 108" (2743mm ) x 1/2" (12mm)				
Colors	Available in all 64 Colors, including Zintra Timber and Premium Prints. See <b>p.11</b> , <b>p.12</b> and <b>p.13</b>				
NRC Rating	Directly Mounted: 0.45	With 2" (50mm) Air Gap: 0.85	With 6" (152mm) Air Gap: 0.90	With 12" (305mm) Air Gap: 0.95	
Aw Rating	Directly Mounted: 0.30	With 2" (50mm) Air Gap 0.75	With 6" (152mm) Air Gap: 0.95	With 12" (305mm) Air Gap: 0.95	
Suggested Installation	Adhere to substrate using contact adhesive or Liquid Nails. Panel can be mechanically fixed using details similar to glass fittings. Check out the Technical Documents on our website to download the Installation Guide for more details.				
Additional Comments	Not suitable as a free standing product. Organic Etch is imperfectly perfect and therefore while they are designed to be installed side by side, they are not seamlessly matched.				
Customization	The Zintra Acoustic Solutions range is customizable to your project. Please get in touch with your local contact for details.				





Horizontal

## **Texture Panel**

Zintra Texture offers subtle yet engaging 3-dimensional panel designs, each engineered to reduce echoes by altering sound reflection angles, making them perfect for noisy public spaces requiring a touch of flair.

Texture panels highlight the exceptional acoustic qualities of Zintra Acoustic Panels and showcase Zintra's impressive fabrication capabilities. With versatile designs, Texture will seamlessly integrate into both classic and modern settings. Mix and match with Zintra Plain Panels to add design and pricing versatility for a cohesive and sophisticated look.



¥I∎I Scan the QR code to find out more




Walls






\	Cercles
	$ \begin{array}{c} & & & & \\ & & & & \\ & & & & \\ & & & & $
$\langle \rangle$ $\rangle$ <t< th=""><th></th></t<>	
Signe	Tessan
Texture Panel S	Specifications
<b>D</b> <sup>1</sup>	101 /1010



Tissage


Dimensions	48" (1219mm) x 108" (2743mm) x 1/2" (12mm) (1" depth once textures push out)				
Colors	Available in all 64 Colors, including Zintra Timber and Premium Prints. See p.11, p.12 and p.13				
NRC Rating	Directly Mounted: 0.45	With 2" (50mm) Air Gap: 0.85	With 6" (152mm) Air Gap: 0.90	With 12" (305mm) Air Gap: 0.95	
Aw Rating	Directly Mounted: 0.30	With 2" (50mm) Air Gap: 0.75	With 6" (152mm) Air Gap: 0.95	With 12" (305mm) Air Gap: 0.95	
Suggested Installation	Adhere to substrate using contact adhesive. Panel can be mechanically fixed using details similar to glass fittings. Check out the Technical Documents on our website to download the Installation Guide for more details.				
Additional Comments	Not suitable as a free standing product. If additional thickness is desired the option to mount to a 1/2" MDF backer or 1/2" Sheet of Zintra for an overall 1" panel thickness is available.				
Customization	The Zintra Acoustic Solutions range is customizable to your project.Please get in touch with your local contact for details.ZINTRA 87.				



## **Sculpted Panel**

Zintra Sculpted Panels use shape and space to offer eye-catching interior design additions.

The signature 3/8" (9mm) groove detail adds depth and dimension, setting them apart as a sophisticated choice for feature walls or an eye-catching alternative to traditional art. Unlike the finer 1/8" (3mm) groove of Etch, Sculpted Panels command attention with their bold, progressive aesthetic, creating a visual statement that resonates with modern design sensibilities.






more



Applications

Walls



Product: Zintra Sculpted Panel Scribe | Color: Slate

ZINTRA 89.


PANELS





Product: Zintra Sculpted Panel Heli | Color: Pewter



Product: Zintra Sculpted Panel Cosmic | Color: Ecru










Starburst

## **Sculpted Specifications**

Dimensions:	47.5" (1206mm) x 108" (2743mm) x 1/2" (12mm)				
Colors	Available in all 64 Colors,	Including Zintra Timber and Pren	nium Prints. See <b>p.11</b> , <b>p.12</b> and <b>p.13</b>		
NRC Rating	Directly Mounted: 0.45	With 2" (50mm) Air Gap: 0.85	With 6" (152mm) Air Gap: 0.90		
Aw Rating	Directly Mounted: 0.30	With 2" (50mm) Air Gap: 0.75	With 6" (152mm) Air Gap: 0.95		
Suggested Installation	Adhere to substrate using contact adhesive, Liquid Nails. Check out the Technical Documents on our website to download the Installation Guide for more details				
Additional Comments	Sculpted is a 0.375" (9mm) deep V groove. Not suitable as a free standing product.				
Customization	The Zintra Acoustic Solutions range is customizable for your project. Please get in touch with your local contact for details.				







# Ceiling Features

Zintra Ceiling Features introduce a softness and sculptural allure to the practical acoustics of ceiling design. From striking geometric shapes to elegant floating elements, these Ceiling Features are ideal for creating standout focal points or adding a subtle touch, all while camouflaging unsightly fixtures and managing noise.

Der mit berbindt




## Clouds

Crafted from pressure-fitted interlocking profiles, Zintra Clouds are available in an array of shapes and sizes for easy assembly and installation.

Clouds not only add dramatic flair to any space, but they also enhance acoustics through Zintra's powerful sound absorption qualities.










Ceilings










### Blanchard

27.3" (694mm) dia x 23.5" (595mm) h 56.4" (1432mm) dia x 47" (1195mm) h


### Clochette

39" (992mm) w x 44.1" (1121mm) l x 9.2" (232mm) h




## Drante

48" (1220mm) w x 48" (1220mm) l x 5.5" (140mm) h 72" (1832mm) w x 72" (1832mm) l x 9" (229mm) h




Warp

48" (1220mm) w x 48" (1220mm) l x 5.5" (140mm) h 108" (2745mm) w x 108" (2745mm) l x 9" (229mm) h




## Giffard



### Square

48" (1220mm) w x 48" (1220mm) l x 6" (150mm) h 48" (1220mm) w x 108" (2745mm) l x 6" (150mm) h 108" (2745mm) w x 108" (2745mm) l x 6" (150mm) h 108" (2745mm) w x 108" (2745mm) l x 9" (225mm) h




## Yoofoe

48" (1220mm) dia x 6.2" (156mm) h 72" (1829mm) dia x 8" (204mm) h 96" (2438mm) dia x 10" (254mm) h 108" (2745mm) dia x 10" (254mm) h

#### Stratus


28" (711mm) w x 55" (1398mm) l x 11.5" (290mm) h



50" (1270mm) w x 50" (1270mm) d x 15.75" (400mm) h **Long Dome Convex** 42.4" (1077mm) w x 97.5" (2476mm) d x 11.8" (300mm) h

#### **Dome Convex** 44.6" (1133mm) d x 11.8" (300mm) h

Turbine




## **Clouds Specifications**

Dimensions	See spread.			
Colors	Available in all 64 Colors, including Zintra Timber and Premium Prints. See <b>p.11</b> , <b>p.12</b> and <b>p.13</b>			
NRC Rating	Without Air Gap: 0.90	With 24" (610mm) Air Gap: up to 1.00		
Aw Rating	Without Air Gap: 0.80	With 24" (610mm) Air Gap: up to 1.00		
Suggested Installation	Cloud components supplied flat pack. Assembled cloud is then suspended from the ceiling using hanging hardware supplied. Check out the Technical Documents on our website to download the Installation Guide for more details.			
Additional Comments	Only available from Zintra Acoustic Panel 1/2" (12mm). Clouds include Adjustable Suspension Kit (ASK). See <b>p.204</b> for hardware detail. Longer Cables, multi-color and Digital Print available for an additional fee.			
Customization	The Zintra Acoustic Solutions range is customizable to your project. Please get in touch with your local contact for details.			




## Long Dome Concave

42.4" (1077mm) w x 97.5" (2476mm) d x 11.8" (300mm) h



## Dome Concave

44.6" (1133mm) w x 44.6" (1133mm) d x 11.8" (300mm) h



## Shapes

Zintra Shapes utilizes geometric forms to complement the traditional angles of a room.

Effective individually or as an ensemble, these shapes can be strategically hung to highlight a particular area or distributed to guide the eye across the span of a room.

Available in 7 designs Applications





Ceilings






Ш

Π





## **Shapes Specifications**

Dimensions	See above.				
Colors	Available in all 64 Colors, including Zintra Timber and Premium Prints. See p.11, p.12 and p.13				
1/2" (12mm) NRC Rating	Directly Mounted: 0.45	With 2" (50mm) Air Gap: 0.85	With 6" (152mm) Air Gap: 0.90	With 12" (305mm) Air Gap: 0.95	
Aw Rating	Directly Mounted: 0.30	With 2" (50mm) Air Gap: 0.75	With 6" (152mm) Air Gap: 0.95	With 12" (305mm) Air Gap: 0.95	
Suggested Installation	Hang with supplied cables. Check out the Technical Documents on our website to download the Installation Guide for more details.				
Additional Comments	Available in 1/2" (12mm) thickness				
Customization	The Zintra Acoustic Solutions range is customizable to your project. Please get in touch with your local contact for details.				

## **Emboss Ceiling Tiles**

Emboss Ceiling Tiles instantly elevate spaces with progressively matched patterns across sheets, creating a seamless, layered effect.

Designed to fit standard 2x2 ceiling grids, Emboss Ceilings enhance acoustics and refresh spaces effortlessly.








Ceilings




## Constellation

23.62" (600mm) w x 24" 23.62" (600mm) h




## Cumulus

23.62" (600mm) w x 24" 23.62" (600mm) h




## Jungle

23.62" (600mm) w x 24" 23.62" (600mm) h



## Molecular


23.62" (600mm) w x 24" 23.62" (600mm) h



#### Tapestry 23.62" (600mm) w x 24" 23.62" (600mm) h



Corduroy 23.62" (600mm) w x 24" 23.62" (600mm) h




## Damask

23.62" (600mm) w x 24" 23.62" (600mm) h




## Linked

23.62" (600mm) w x 24" 23.62" (600mm) h



## Sandglass

23.62" (600mm) w x 24" 23.62" (600mm) h



Tidal

23.62" (600mm) w x 24" 23.62" (600mm) h



## **Quick Ship Program**

Quick Ship Emboss Ceiling Tiles are stocked in the frost color and ready to ship immediately in quantities of 16 tiles per pattern. For more color options, a minimum order of 80 tiles is required.

## Chev

24" (609.6mm) w x 24" (609.6mm) h



## Cubi

24" (609.6mm) w x 24" (609.6mm) h



## **Emboss Ceiling Tiles Specifications**

Dimensions	See above.				
Colors	Available in all 64 Colors, including Zintra Timber and Premium Prints. See p.11, p.12 and p.13				
1/2" (12mm) NRC Rating	Directly Mounted: 0.45	With 2" (50mm) Air Gap: 0.85	With 6" (152mm) Air Gap: 0.90	With 12" (305mm) Air Gap: 0.95	
Aw Rating	Directly Mounted: 0.30	With 2" (50mm) Air Gap: 0.75	With 6" (152mm) Air Gap: 0.95	With 12" (305mm) Air Gap: 0.95	
Suggested Installation	Will work with 15/16" Suspended T-Grid system (T-Grid not supplied). Check out the Technical Documents on our website to download the Installation Guide for more details.				
Additional Comments	Available in 1/2" (12mm) thickness				
Customization	The Zintra Acoustic Solutions range is customizable to your project. Please get in touch with your local contact for details.				

## Crossway

24" (609.6mm) w x 24" (609.6mm) h



# Baffles

Master the art of sound with Zintra Baffles. Absorbing sound from multiple directions, these Baffles blend impact with elegance. Whether enhancing a focal point or an entire ceiling, they deliver a visual and acoustic masterpiece. With various designs available and thoughtful assembly and installation, Baffles provide an efficient and adaptable solution for improving acoustics to suit any space's needs.

> DCXC Technology Center

Product: Zintra Individual Baffles | Color: Fossil | Project: Genetec, Washington DC. 108. Crown Surface Solutions | Photographer: Stephane Brugger



## Baffle Systems

Zintra Baffle Systems masterfully absorb sound from multiple directions, combining modern aesthetics with decorative elements and a broad spectrum of colors and patterns.

Providing an innovative alternative to traditional mineral fiber lay-in systems, Baffle Systems offer the flexibility to be individually configured as a standout feature or installed to enhance the entire ceiling's visual charm. With refined assembly and installation, Baffle Systems provide an efficient and adaptable solution for improving acoustics to meet any space's demands. By diminishing noise levels and boosting speech clarity, our sound baffles facilitate a calm and appealing environment.

## Available in 11 designs





Applications

Ceilings




BAFFLES


Product: Zintra Baffle Systems Individual Color: Linen & Fossil

ZINTRA 111.


Product: Zintra Baffle System Custom Wave | Color: Ecru with Satin Black Powder Coat | Project: Rydges Coolangatta Designer: Design Nu | Photographer: AH Photography



ZINTRA 113.



\*Available with 4.8" spacing (10 Baffles), 8" spacing (6 Baffles), 12" spacing (4 Baffles) \*\*Also available in 48" (1220mm) w x 72" (1829mm) l x 16.8" (428mm) h



**Baffle Systems Specifications** 

Dimensions	See spread.	
Colors	Available in all 64 Colors, including Zintra Timber and Premium Prints. See <b>p.11</b> , <b>p.12</b> and <b>p.13</b> . See <b>p.214</b> for Powder Coat Colors.	
NRC Rating	Without Air Gap: 0.90	With 24" (610mm) Air Gap: Up to 0.95
Aw Rating	Without Air Gap: 0.80	With 24" ( 610mm) Air Gap: Up to 0.80
Suggested Installation	Be sure to support Baffles during installation to avoid bowing or creasing. Slide Baffles onto notched Square Tube to position it in place. Fix Adjustable Cables to ceiling. Adjust cables to complete installation.	
Additional Comments	Only available from Zintra Acoustic Panel 1/2" (12mm) Baffles include Adjustable Suspension Kit (ASK) and Square Tube. See <b>p.204</b> for hardware detail. Longer Cables, multi-color and Digital Print available for an additional fee.	
Customization	The Zintra Acoustic Solutions range is customizable to your project. Please get in touch with your local contact for details.	

110" (2800mm) w x 110" (2800mm) d x 4.3" (110mm) h Setup by connecting (4) Quarter Baffle Circle systems

## **Box Baffles**

Zintra Box Baffles are box-shaped baffles designed to hang from the ceiling in uniformly spaced rows. This prefabricated, ceiling-mounted system offers an innovative alternative to traditional mineral fiber lay-in systems.

The distinct box shape not only elevates the aesthetics but also optimizes acoustic performance by effectively trapping sound. With refined assembly and installation, Box Baffles provide an efficient and adaptable solution for improving acoustics to meet the demands of any space.


## Available in 5 designs





Applications


out Ceilings




**SAFFLES** 

Product: Zintra Box Baffles Mixed Color: Ironbark

ZINTRA 117.







	Dimensions	See above.
	Colors	Available in all 64 Colors, incluc See <b>p.11</b> , <b>p.12</b> and <b>p.13</b> . See <b>p.21</b>
	NRC Rating	Without Air Gap: 0.90
	Aw Rating	Without Air Gap: 0.80
	Suggested Installation	Be sure to support Baffles durin onto notched Square Tube to pe Adjust cables to complete insta website to download the Install
	Additional Comments	Only available from Zintra Acou Suspension Kit (ASK) and Squar multi-color and Digital Print ava
	Customization	The Zintra Acoustic Solutions ro Please get in touch with your lo

oustic Panel 1/2" (12mm). Baffles include Adjustable are Tube. See **p. 204** for hardware detail. Longer Cables, vailable for an additional fee.

range is customizable to your project. ocal contact for details.

## **Mesh Baffles**

Zintra Mesh Baffles offer a stylish and functional acoustic ceiling solution that can serve as dynamic focal points or wall-to-wall applications.

Scalable and cost-effective, sets of Mesh Baffles integrate seamlessly with each other using a unique interconnecting system and are suspended by Y-Hook cables for easy installation.








Ceilings








ZINTRA 123.






Product: Zintra Mesh Baffles Long Offset | Color: Premium Wood Rustic Walnut Powder Coat Color: Spice


## Herringbone



## Short Offset




## Offset




### **Mesh Baffles Specifications**

sions 48" (1219mm) w x 96" (24) (209mm) x 1/2" (12mm)	00mm)
Available in all 64 Colors See <b>p.11</b> , <b>p.12</b> and <b>p.13</b> . Se	
ating Up to 1.0	
ting Up to 0.95	
sted Installation Assemble your Mesh Baf hardware supplied. Chec the Installation Guide for	k out t
onal Comments Digital Print available for	r an ad
nization The Zintra Acoustic Solut Please get in touch with	
ating Up to 1.0 ting Up to 0.95 sted Installation Assemble your Mesh hardware supplied. O the Installation Guid onal Comments Digital Print availabl nization The Zintra Acoustic S	Baf Chec e for e for Solut


## Random



## Long Offset



## Checkered



## n) | x 8.2" (209mm) h | Individual Quill 4" (106mm) x 8.2"

uding Zintra Timber and Premium Prints. 1**4** for Powder Coat Colors.

#### rstem then suspend from the ceiling using the hanging the Technical Documents on our website to download e details.

dditional fee.

range is customizable to your project. ocal contact for details.

## Beams

Zintra Beams, with their sense of structure and architectural grandeur, are perfect for large spaces.

Engineered for superior sound absorption, with an NRC of up to 1.5, Zintra Beams function as porous absorbers across the entire frequency range, significantly enhancing the overall NRC rating of a space. Their modular design allows for a variety of configurations across a range of styles and sizes and includes connectors and coffers for effortless customization to suit any space.


## Available in 5 designs Applications



Scan the QR code to find out more




Ceilings







Product: Zintra Beams Square Color: Premium Wood Rustic Walnut

ZINTRA 129.









## **Beams Specifications**

See above. Available in all 64 Colors, includi
Lin to 1 E with Coffeen
Up to 1.5 with Coffers
Up to 1.0 with Coffers
Ships Flat Pack. Assembly Req Cable Suspension OR Unistrut. Go to the Technical Document:
Available in Premium Prints.

### ling Zintra Timber and Premium Prints. See **p.11**, **p.12** and **p.13**

#### quired.

. Refer preferred installation method Install Guide ts and download the Installation Guide for more details.

range is customizable to your project. local contact for details.

## Connect

Zintra Connect adds sculptural, on-trend geo-accents to your ceiling space. This innovative ceiling solution improves acoustics in large areas, creating a ceiling space with architectural shape, form, and definitive character.

Connect offers the flexibility to be individually configured as a standout feature or installed to enhance the entire ceiling's visual charm, all without the need for customized shop drawings.

## Available in 5 designs Applications






Scan the QR code to find out more 



Ceilings






136. Product: Zintra Connect Prismatic | Color: Pebble






### **Connect Cirrus**


141.5" (3595mm) x 89.6" (2275mm) \*To account for angle of design use: 89.5" x 103"







## **Connect Rise**

48" (1220mm) x 109.8" (2790mm)











## Connect Cubix

18 cubes / set, 18.9 SF (1.8m²) System Dims: 36.6" (930mm) w x 74.4" (1889mm) d x 4.7" (120mm) h Single Cube Dims: 11.5" x 11.5" x 4.7"




### **Connect Hive**

18 hexagons / set, 21.7 SF (2.6m²) System Dims: 40.5" (1027mm) w x 100" (2544mm) d x 4.7" (120mm) h Single Hexagon Dims: 13.3" x 15.3" x 4.7"



#### **Connect Prismatic**

18 triangles / set, 16.9 SF (1.7m²) System Dims: 30.2" (768mm) w x 88.2" (2241mm) d x 4.7" (120mm) h Single Triangle Dims: 15.5" x 15.5" x 4.7"



## **Connect Specifications**

Dimensions	See above.
Colors	Available in all 64 Colors, includir
NRC Rating	0.90
Aw Rating	0.80
Suggested Installation	Connect components are suppl 4 way Adjustable Suspension Ki See <b>p.204</b> for hardware detail. O to download the Installation Gu
Customization	The Zintra Acoustic Solutions ro Please get in touch with your lo

### ling Zintra Timber and Premium Prints. See **p.11**, **p.12** and **p.13**

plied flat pack. Fix Adjustable Suspension Kit (ASK) or Kit (Connect Cubix, Hive and Prismatic only) to ceiling. . Check out the Technical Documents on our website Guide for more details.

range is customizable to your project. ocal contact for details.

# Acoustic Sticks

Zintra Sticks offer creative freedom and functionality in a lightweight, versatile, and easy-to-fabricate format. Perfect for feature walls, curved walls, space division, and even seamless progression from wall to ceiling, Sticks provide a vast range of possibilities to transform any area into an extraordinary, acoustically optimized environment.




## **Sticks Bundles**

Available as a complete system, Zintra Sticks Bundles' unique design ensures effective sound absorption while adding a modern, dynamic element to your space.

Zintra Sticks are available in two profiles that can be mounted on walls or ceilings in either landscape or portrait orientation. Add on the purpose-designed Sticks Transition to ensure seamless integration at corners from walls to ceilings, and use Sticks Trim to provide a neat finish around doors, windows, and GPOs.

## Available in 2 widths





Walls

Ceilings








ZINTRA 145.

## Sticks Corner

Zintra Sticks Corners are purpose-designed transition pieces that seamlessly join Sticks Bundles around external wall corners, ensuring a smooth and cohesive finish.

They are available in both Landscape and Portrait orientations to suit Narrow and Wide Sticks.



## Applications





Walls



## **Sticks Transition**

Zintra Sticks Transition pieces are purpose-designed to seamlessly manage corners from walls to ceilings, ensuring a smooth and cohesive finish.

Available in both landscape and portrait orientations, Sticks Transition integrates effortlessly with Sticks Bundles to maintain design continuity.

## Available in 2 widths


## Scan the QR code to find out more





Applications

Walls



ACOUSTIC STICKS

Product: Zintra Sticks Bundle Narrow and Transition Orientation: Portrait | Color: Spotted Gum

ZINTRA 149.


## Sticks Trim

Zintra Sticks Trim ensures impeccable finishes around windows, doors, ceiling services, and GPOs.

Supplied as a separate right-angle piece, Sticks Trim is easily cut onsite for mitre or butt joints and is glued to Sticks sets to provide a seamless, matching finish to exposed ends.


## Available in 2 widths

#### Scan the QR code π. to find out 回先放 more



Applications





**USTIC STICKS** 


Product: Zintra Sticks Bundle Wide and Trim | Color: Ironbark


ZINTRA 151.

## Typical Landscape Transition Assembly

Landscape External Corner Narrow Set









## **Sticks Trim**

108" (2745mm) h x 2.9" (73mm) w x 2.9" (73mm) d



TI (			
	TI		
	TL.		
	000		
TI I	111	TI I	
11.1	11.0	111	
11.1	111		
	11.1		
111		ill	
	111		
111	11.		
		2	
		P	
		/	

Sticks Bundle | —/ Narrow



includes an aluminum frame and sticks,
Sticks provide versatile design options
vailable.

See spread.	
Available in all 64 Colors, including Zintra Timber and Premium Prints. See <b>p.11</b> , <b>p.12</b> and <b>p.13.</b> See <b>p.214</b> for Powder Coat Colors.	
Directly Mounted: 0.8	With 6" (152mm) Air Gap: 0.95
Directly Mounted: 0.6	With 6" (152mm) Air Gap: 0.65
Ships flat packed except Sticks Trim. Assembly required. Check out the Technical Documents on our website to download the Installation Guide for more details.	
The Zintra Acoustic Solutions range is customizable to your project. Please get in touch with your local contact for details.	

## **Independent Sticks**

Zintra Independent Sticks have been designed to offer designers limitless creative possibilities.

Being trimmable in the field, they achieve flexibility without the noise and dust of real timber, allowing for the crafting of eye-catching feature walls, custom art installations, or asymmetrical patterns that span entire spaces.

Available in both Narrow and Wide options and a variety of finishes to suit your aesthetic preferences.


## Available in 2 widths

## Applications

Scan the QR code

to find out

more






Walls




ACOUSTIC STICKS

Product: Zintra Independent Sticks Color: Premium Wood Cherry

ZINTRA 157.





## Independent Sticks Specifications

Dimensions	Wide Set: 10 Sticks per Bundle System: 50" (1270mm) w x 108" (2743mm) h with 1" spacing Each Stick: 4" (102mm) wide	Narrow Set: 12 Sticks per Bundle System: 36" (914mm) w x 108" (2743mm) h with 1" spacing Each Stick 2" (48mm) wide	
Colors Available in all 64 Colors, including Zint See <b>p.11</b> , <b>p.12</b> and <b>p.13</b>		ber and Premium Prints.	
NRC Rating	Directly Mounted: 0.80	With 6" (152mm) Air Gap: 0.95	
Aw Rating	Directly Mounted: 0.60	With 6" (152mm) Air Gap: 0.65	
Suggested Installation	Ships flat packed. Assembly required. Check out the Technical Documents on our website to download the Installation Guide for more details.		
Additional Comments	Minimum 1" (24mm) spacing required.		
Customization The Zintra Acoustic Solutions range is customizable to your project. Please get in touch with your local contact for details.		, , ,	

## **Quadratic Sticks**

Zintra Quadratic Sticks are designed to enhance acoustics through the innovative use of a quadratic residue sequence.


Each pattern comprises eight sticks, repeating systematically to optimize acoustic outcomes. Variable heights strategically enhance sound absorption while minimizing reverberation, ensuring more evenly distributed sound energy throughout the room. This reduces echoes and creates enhanced speech clarity.


## Available in 2 widths





QR code to find out more









Product: Zintra Quadratic Sticks | Orientation: Portrait Color: Premium Wood Australian Walnut

ll fi

ZINTRA 161.








## **Quadratic Sticks Specifications**

Dimensions	All sticks are: 1.7" w (42 mm) x 10 Set includes: (x6) 1" (25mm) deep sticks , (x4) 2 (x4) 3" (76mm) deep sticks, (x2) 4
Colors	Available in all 64 Colors, includ See <b>p.11</b> , <b>p.12</b> and <b>p.13</b> . See <b>p.21</b> 4
NRC Rating	0.95
Aw Rating	0.80
Suggested Installation	Ships flat packed except 1" (25m Check out the Technical Docum Installation Guide for more deta
Customization	The Zintra Acoustic Solutions ro Please get in touch with your lo



Detail

## 108" (2743mm) l

) 2″ (51mm) deep sticks, ) 4″ (102mm) deep sticks

uding Zintra Timber and Premium Prints. 214 for Powder Coat Colors.

imm) Quadratic Stick. Assembly required. ments on our website to download the tails.

range is customizable to your project. ocal contact for details.

## **Double Sided Sticks**

Zintra Double Sided Sticks provide a versatile solution for creating and rearranging spaces, meeting the increasing demand for space dividers without affecting walls or ceilings.

Perfect for displays, reception areas, or breakout spaces, Double Sided Sticks are available as Narrow or Wide Sticks in both Portrait and Landscape orientations. The Landscape orientation also comes in a half-height version, which is perfect as a privacy screen. Installation is straightforward and can be modified onsite, making Zintra Double Sided Sticks a simple and effective way to transform spaces.

## Available in 3 designs Applications








Walls







## **Double Sided Sticks Specifications**

Dimensions	Portrait:	L
	Narrow Set 20 pcs 47" (1191mm) w x 111" (2820mm) h x 3.8" (96.5mm) d End Stick Width 2" (51mm) Middle Stick Width 1.7" (42mm)	N 4 h E V
	Wide Set 10pcs 47" (1191mm) w x 111" (2820mm) h x 3.8" (96.5mm) d End Stick Width 4.35"(111mm) Middle Stick Width 4" (102mm)	4 h E
Colors	Available in all 64 Colors, inc See <b>p.11</b> , <b>p.12</b> and <b>p.13</b> . See <b>p</b>	
NRC Rating	0.85	
Aw Rating	0.70	
Suggested Installation	Ships flat packed. Assembly on our website to download	
Customization	The Zintra Acoustic Solution Please get in touch with you	

NOTE: Overall height range 111"- 115" max with adjustable feet.

### Landscape Full Height:

Narrow Set 40 pcs 48" (1219mm) w x 111" (2820mm) h x 3.8" (96.5mm d Each Stick Width 1.7" (42mm)

Wide Set 20 pcs 48" (1219mm) w x 111" (2820mm) h x 3.8" (96.5mm) d Each Stick Width 4" (102mm)

## Landscape Half Height:

Narrow Set 20 pcs 48" (1219mm) w x 46" (1174mm) h x 3.8" (96.5mm) d Overall System: 48" w x 111" h Each Stick Width 1.7" (42mm)

Wide Set 10 pcs 48" (1219mm) w x 46" (1174mm) h x 3.8" (96.5mm) d Overall System: 48" w x 111" h Each Stick Width 4" (102mm)

uding Zintra Timber and Premium Prints. 214 for Powder Coat Colors.

equired. Check out the Technical Documents ne Installation Guide for more details.

range is customizable to your project. local contact for details.


## **Curved Sticks**

Zintra Curved Sticks introduce a captivating and affordable curved dimension to flat surfaces, which are typically challenging and costly to achieve.

Zintra Curved Sticks comprise a single set of sticks that allow you to create a simple curve, or you can combine multiple sets to design a dramatic ceiling or wall wave feature.

## Available in 2 widths










Applications






Product: Zintra Curved Sticks Color: Premium Wood Redwood

ZINTRA 169.




## **Curved Narrow**



Front View

## **Curved Sticks Specifications**

45.6" (1158mm) w x 108" (2743mm) Each Stick Narrow: 1.7" (42mm) Wide: 4" (102mm)
Available in all 64 Colors, includ See <b>p.11</b> , <b>p.12</b> and <b>p.13</b> . See <b>p.21</b> 4
0.95
0.60
Ships flat packed. Assembly rec on our website to download the
The Zintra Acoustic Solutions ra Please get in touch with your lo



Front View

ACOUSTIC STICKS

nm) h

uding Zintra Timber and Premium Prints. 214 for Powder Coat Colors.

equired. Check out the Technical Documents ne Installation Guide for more details.

range is customizable to your project. local contact for details.

# Tiles


Zintra Tiles feature a wide array of designs from simple to intricate across four unique styles, along with options for single-layer, double-layer, and large formats. Perfect for improving sound quality in offices, schools, hospitals, and public areas. Designed for effortless delivery, installation, and excellent acoustics, use them as accent pieces or for full coverage.



## **Plain Tiles**


With 14 unique shapes, available in all 64 colors, Zintra Plain Tiles provide endless design possibilities.

Pair Plain Tiles with Etch Tiles or mix and match colors for dramatic customized effects. The versatile nature of Plain Tiles allows for the effortless creation of environments that are both aesthetically pleasing and acoustically optimized.



Available in 14 Designs Applications

Scan the QR code to find out to find out more  $\Box$ 



Ceilings Walls

TILES

Product: Zintra Plain Tiles Tablet B Color: Storm & Cadet

ZINTRA 175.

•


Product: Zintra Plain Tiles Tablet C Color: Premium Wood Australian Walnut

AND A SAME OF

## Tablet A

24 Tiles / set, 35.52 SF (3.36 m²)


### Front View



## Tablet B

15 Tiles / set, 34.65 SF (3.15 m²)


#### Front View



## Tablet C


9 Tiles / set, 33.3 SF (3.06 m²)

#### Front View




## Battleaxe

## 13 tiles / set, 25.2 SF (2.3m²)



## Chevron


10 tiles / set, 31.7 SF (2.9m²)



## Diamond

Front View


20 tiles / set, 25.8 SF (2.4m²)



## Hexagon

10 tiles / set, 24.6 SF (2.3m²)


### Front View



## Herringbone

12 tiles / set, 30.1 SF (2.8m²)

## Front View



## Hourglass 5 tiles / set, 21.8 SF (2m<sup>2</sup>)

tiles / set, 21.8 SF (2m²)


Front View

(uuue) (uuue) (1990) (1


## Jigsaw

Front View

8 tiles / set, 23.7 SF (2.2m²)



## Geometrics




## **Plain Tiles Specifications**


Dimensions	See above.
Colors	Available in all 64 Colors, includir See <b>p.11, p.12</b> and <b>p.13</b>
NRC Rating	Directly Mounted: 0.45
Aw Rating	Directly Mounted: 0.30
Suggested Installation	Supplied as a set of individual t construction adhesive. As an all Fixing (NDRF) (sold separately). Documents on our website to de
Additional Comments	Also available with Digital Print
Customization	The Zintra Acoustic Solutions ro Please get in touch with your lo

## Trapezium

15 tiles / set, 31.8 SF (3m²)

### Front View





ling Zintra Timber and Premium Prints.

tiles. Arrange as required and fix to the wall with Ilternative solution, use a Non-Destructive Removable ). See **p.204** for hardware detail. Check out the Technical download the Installation Guide for more details.

t. Not suitable as a free standing product.

range is customizable to your project. ocal contact for details.

## **Box Tiles**


Zintra Box Tiles do more than just cover walls-they imbue spaces with texture, depth, and bold definition while delivering superior acoustic benefits, making them an ideal allaround solution for enhancing the ambiance of restaurants, hotels, or office spaces.

Available in small to large formats, Box Tiles allow you to choose from Zintra's full color range to effortlessly complement any design theme. Whether you're aiming for a seamless wall-to-wall installation or a striking acoustic art feature, Box Tiles offer the flexibility to achieve your vision.



## Available in 10 Designs Applications

Scan the ٩., QR code to find out more



Walls

180.



Product: Zintra Box Tiles Emerald Color: Saffron, Parchment & Ecru

ZINTRA 181.









Product: Zintra Box Tiles Hex | Color: Smoke, Slate & Fossil

ZINTRA 185.



## Hex

12 tiles / set, 12.1 SF (1.1m<sup>2</sup>) 15" (381mm) w x 13" (330mm) h x 3" (76mm) d / tile



## Square 8x8

21 tiles / set, 9.33 SF (0.87m<sup>2</sup>) 8" (203mm) x 8" (203mm) h Available in 1.5" (38mm), 2.3" (57mm), 3" (76mm) d / tile



## Rectangle 8x16

14 tiles / set, 12.44 SF (1.16m<sup>2</sup>) 8" (203mm) x 16" (406mm) h

Available in 1.5" (38mm), 2.3" (57mm), 3" (76mm) d / tile



Available in all 64 Colors, including Zintra Timber and Premium Prints. See p.11, p.12 and p.13

Supplied as a set of individual tiles. Arrange as required and fix to the wall with construction adhesive. As an alternative solution, use a Non-Destructive Removable Fixing (NDRF) (sold separately). See p.204 for hardware detail. Check out the Technical Documents on our website to download the Installation Guide for more details.

The Zintra Acoustic Solutions range is customizable to your project.


## **Etch Tiles**

Zintra Etch Tiles combine sophisticated design with superior sound absorption. Precision-cut V-grooves create captivating patterns that add depth and dimension to any room, with Zintra's wide color palette offering endless possibilities.

Perfect for modern interiors, Etch Tiles can be used as a standalone feature or seamlessly integrated with Zintra Plain Tiles for a cohesive look.



Scan the QR code to find out more



Walls Ceilings



Product: Zintra Etch Tile Louver Color: Saffron (front), Parchment (back)

**ZINTRA 189.** 


'ILES






Product: Zintra Etch Tile Link Color Parchment (front), Saffron (back)








## **Crossbar A**

9 tiles / set, 33.3 SF (3.06 m²)



## Crossbar B


9 tiles / set, 33.3 SF (3.06 m²)

#### Front View

Fluted

Front View


9 tiles / set, 35.37 SF (3.24 m<sup>2</sup>)



## Link A

24 tiles / set, 35.52 SF (3.36 m²)


#### Front View



## Link B

24 tiles / set, 35.52 SF (3.36 m²)

### Front View




## Louver

9 tiles / set, 35.37 SF (3.24 m²)

## Front View


88" (301.6mm)



## Shadow Box

21 tiles / set, 35.07 SF (3.15 m²)

#### Front View





47.50" (1206.5mm)

## Battleaxe

13 tiles / set, 25.2 SF (2.3m²)

#### Front View





## **Etch Tiles Specifications**

Dimensions	See above.
Colors	Available in all 64 Colors, includir
NRC Rating	Directly Mounted: 0.45 - 0.75
Aw Rating	Directly Mounted: 0.30 - 0.60
Suggested Installation	Supplied as a set of individual t construction adhesive. As an al Fixing (NDRF) (sold separately). Documents on our website to d
Additional Comments	Also available with Digital Print
Customization	The Zintra Acoustic Solutions ro Please get in touch with your lo

## ing Zintra Timber and Premium Prints. See p.11, p.12 and p.13

tiles. Arrange as required and fix to the wall with alternative solution, use a Non-Destructive Removable ). See **p.204** for hardware detail. Check out the Technical download the Installation Guide for more details.

nt. Not suitable as a free standing product.

range is customizable to your project. ocal contact for details. TILES

## **Pattern Tiles**


Discover the versatility and creative potential of Zintra Pattern Tiles, where timeless elegance meets contemporary flair.

Each intricately cut tile, crafted from high-quality Zintra material, mounts onto a back panel in your choice of matching or contrasting Zintra colors. This adds style, texture, contrast, and depth to your walls or ceilings while offering superior sound absorption.



Available in 10 Designs Applications






Walls

Ceilings

196.




Product: Zintra Pattern Tile Billet | Color: Premium Material Cast Concrete (front), Grass (back)




TILES

ZINTRA 199.




200. Product: Zintra Pattern Tile Entwine | Color: Pebble (front), Midnight (back)



## Billet A

9 tiles / set, 35.37 SF (3.24m<sup>2</sup>)


#### Front View



## Billet B

9 tiles / set, 35.37 SF (3.24m<sup>2</sup>)






## Groove A

9 tiles / set, 33.3 SF (3.06m²)






## Groove B

9 tiles / set, 33.3 SF (3.06m<sup>2</sup>)


### Front View



## Halftone A

18 tiles / set, 35.46 SF (3.24m<sup>2</sup>)


### Front View




## Halftone B

18 tiles / set, 35.46 SF (3.24m<sup>2</sup>)


### Front View







## Arch

Front View



## Entwine 10 tiles / set, 22.8 SF (2.1m²)






## **Pattern Tiles Specifications**


DimensionsSee above.ColorsAvailable in all 64 Colors, includiNRC RatingDirectly Mounted: 0.45 - 0.75Aw RatingDirectly Mounted: 0.30 - 0.60Suggested InstallationSupplied as a set of individual to construction adhesive. As an all Fixing (NDRF) (sold separately). Documents on our website to construction adhesive to construct a construction adhesive to construct and the construct on a co		
NRC RatingDirectly Mounted: 0.45 - 0.75Aw RatingDirectly Mounted: 0.30 - 0.60Suggested InstallationSupplied as a set of individual to construction adhesive. As an all Fixing (NDRF) (sold separately). Documents on our website to construct on our website to construct on adhesive and the second to construct on the sec	Dimensions	See above.
Aw RatingDirectly Mounted: 0.30 - 0.60Suggested InstallationSupplied as a set of individual to construction adhesive. As an all Fixing (NDRF) (sold separately). Documents on our website to construction adhesite to construct a construction adhesite to construct a construct on a construct a construct on	Colors	Available in all 64 Colors, includi
Suggested InstallationSupplied as a set of individual to construction adhesive. As an all Fixing (NDRF) (sold separately). Documents on our website to aAdditional CommentsAlso available with Digital Print The Zintra Acoustic Solutions re	NRC Rating	Directly Mounted: 0.45 - 0.75
construction adhesive. As an all Fixing (NDRF) (sold separately). Documents on our website to aAdditional CommentsAlso available with Digital Print CustomizationThe Zintra Acoustic Solutions re	Aw Rating	Directly Mounted: 0.30 - 0.60
Customization The Zintra Acoustic Solutions re	Suggested Installation	construction adhesive. As an al Fixing (NDRF) (sold separately)
	Additional Comments	Also available with Digital Print
	Customization	

## Lotus

10 tiles / set, 25.2 SF (2.3m<sup>2</sup>)

#### Front View






## Surge

8 tiles / set, 24.5 SF (2.3m<sup>2</sup>)

Front View



## ling Zintra Timber and Premium Prints. See p.11, p.12 and p.13

tiles. Arrange as required and fix to the wall with alternative solution, use a Non-Destructive Removable ). See **p.204** for hardware detail. Check out the Technical download the Installation Guide for more details.

nt. Not suitable as a free standing product.

range is customizable to your project. ocal contact for details.


# Hardware

Discover versatile hanging systems and sturdy fixing options, designed to complement and secure the Zintra product range whilst being considerate of installation needs.




## Floor to Ceiling Screens


Zintra Floor to Ceiling Screens utilize a steel cable to suspend Zintra Panels or Patterns. They are an easy-to-install and cost-effective room dividing solution.





## **Cable Side Grippers**

Front view Size varies, as it depends on the panel being suspended









Single Sided Gripper

Double Sided Gripper


## Floor to Ceiling Specifications

Colors	Available in all 64 Colors, including Zintra Timber and Premium Prints. See p.11, p.12 and p.13		
NRC Rating	With 6" (152mm) Air Gap: Up to 0.90	With 6" (152mm) Air Gap: Up to 0.90 With 12" (305mm) Air Gap: 0.95	
Aw Rating	With 6" (152mm) Air Gap: Up to 0.95	With 6" (152mm) Air Gap: Up to 0.95 With 12" (305mm) Air Gap: 0.95	
Suggested Installation	Fix cables into floor and ceiling with suitable anchors (requires rigid ceiling and floor), tension cable and hang screen using supplied side gripper or standoff.		
Additional Comments	Zintra Patterns and Floor to Ceiling System sold separately.		
Customization	The Zintra Acoustic Solutions range is customizable to your project. Please get in touch with your local contact for details.		

## **Cable Standoff**

### Front view

Size varies, as it depends on the panel being suspended







## **Sliding Screens**

Zintra Sliding Screens combines Zintra Patterns with easy to install hardware, allowing flexible room division with outstanding acoustic quality.

## Sliding Track Assembly








One screen

## **Sliding Screens Specifications**

Screens are dependent on order. S
Available in all 64 Colors, includir
With 6" (152mm) Air Gap: Up to 0.9
With 6" (152mm) Air Gap: Up to 0.9
Fix track to ceiling with suitable and insert decorative end caps.
Zintra Patterns, Rollers and Double Available as one single screen or o
The Zintra Acoustic Solutions range Get in touch with your local contact



Two screens

Sliding Track comes in 108" lengths

ling Zintra Timber and Premium Prints. See **p.11**, **p.12** and **p.13** 

.90 With 12" (305mm) Air Gap: 0.95

.95 With 12" (305mm) Air Gap: 0.95

nchors (requires rigid ceiling), hang panel on track,

le Sliding Track are sold separately. overlapping multiple screens.

ge is customizable to your project. act for details.



## Adjustable Suspension Kit (ASK)

4 Way Adjustable Cable Kit

Brushed stainless steel

5' (1524mm) Cable Hanger.

Dimensions: Steel Cable

Y- Hook Cable Hanger

Finish:

Notes:

Finish:

Notes:

Dimensions:	Steel Cable	North America / Asia – 5' (1524mm)
		Europe – 6 ½' (2000mm)
Finish:	Silver	
Notes:	Kit includes Steel Cable, Barrel Fixing, Anchor Bolt & Adjustable Toggle	
Used With:	Baffles – Individu	al & Systems, Clouds, Connect & Shapes
Comments:	5' length is stand	ard. Ad'tl lengths available upon request

5' (1524mm)

Anchor Bolt & Adjustable 4-way splitter Used With: Baffles Connect Cubix, Hive, Prismatic & Turbine Cloud

Comments: 5' length is standard. Ad'tl lengths available upon request

Dimensions: Gripple Angel Y-Hook 11.8" (300mm) with Top Hat End Fixing,

Refer to installation guide on our website for where


Kit includes Steel Cable, 2x leg cables with toggle end, Barrel Fixing,



## **Twist Clip Threaded**

Finish: Silver Notes:





Twist Clip Loop

Finish: White Notes: Used With: Individual Baffles

Silver

S-Hook

Finish: Notes: Used With: Individual Baffle

**Cup Hook** 

Finish: White or Black

## Grommet

Dimensions: 3/4" (19mm) diameter Finish: Silver or Brass Notes:

Strut Mount


Silver

```
Used With: Beams
```

Dimensions: 1.5" w x 1.875" |



dillin







## Wire Clamp

Used With:

Finish: Notes:

\*rope not included



## Square Tube 1" (25mm) X 1" (25mm)


Dimensions: 1" (25mm) x 1" (25mm) x 108" (2743mm) Finish: Satin Aluminium or Black Used With: Baffles, Sticks \*Can come Notched or Unnotched dependent on product



## **U-Channel**

Dimensions: North America/Asia - 0.5" (12mm) x 0.5" (12mm) x 108" (2743mm) Finish: Black or White Compatible with 1/2" (12mm) thick Zintra Acoustic Solutions Notes: Used With: Individual Baffles

210.





**Brushed Silver** 

Mesh Baffles

and how to Install

Dimensions: Suitable for 3/16" diameter

Used With:

Zinc-Plated Steel Easy-Install Wire Clamp (Not for Lifting). Used when installing multiple mesh baffle systems together. Mesh Baffles

```
North America/Asia – Compatible with 15"/16" ceiling grid
              Europe - Compatible with T24 ceiling grid
              Requires Adjustable Suspension Kit (ASK) (sold separately)
Used With: Baffle Systems, Baffles Individual, Clouds & Shapes
```

```
Compatible with 15"/16" ceiling grids
Requires S-Hook (sold separately)
```

North America/Asia - Compatible with 15"/16" ceiling grid Europe - Compatible with T24 ceiling grid Requires S-Hook (sold separately)

Requires Twist Clip - Loop or Twist Clip - Swivel

Dimensions: Overall Dimensions 1.26" (32mm) x 0.65" (17mm) Used With: Individual Baffles - Hook & Small Shapes

Suitable for 1/2" (12mm) only Used With: Baffle Systems Individual Grommet

Includes: (1) Strut Mount & (1) Push-In Rivet Compatible with 1-5/8" wide strut channels. Suitable strut heights ranging from 13/16", 1-3/8", 1-5/8", 2-7/8" or 3-1/4". Requires Beam Clips (sold with product or purchased ad'tl). Strut channel not included.



## Beams Clip <sup>1</sup>/<sub>2</sub>" (12mm)

Dimensions: 1/2" (12mm) Finish: Clear - injection moulded plastic. Clear hardware for securing 1/2" Zintra to a wall or ceiling. Notes: Used With: Beams & Box Tiles



## Beams Clip 1" (24mm)

Dimensions: 1" (24mm) Finish: Clear - injection moulded plastic. Clear hardware for securing 1/2" Zintra to a wall or ceiling. Notes: Used With: Beams & Box Tiles



## **Double Sliding Track** Dimensions: North America/Asia - 1.4" (35 mm) x 2.2" (56mm) x 96" (2438mm) Satin Aluminium Used With: Sliding Track

Finish:



# Roller Kit Stainless Silver

Used With: Sliding Track

Finish:

Notes:

## Cable Standoff Finish:

Notes:

## Used With: Floor to Ceiling Cable Kit

## Cable Side Gripper Single

Finish:

## Cable Side Gripper Double

## Floor To Ceiling Cable Kit

Dimensions: 16' (4877mm) Cables Finish: Silver Notes: Panel, Patterns & Etch Used With:



## Standoff - 1" (25mm)

Finish: **Brushed Stainless Steel** Notes: Compatible with Zintra Acoustic Solutions up to 1" (24mm) thick Panels, Patterns, Etch & Emboss Used With:



## Standoff - 1.75" (45mm)

Finish: **Brushed Stainless Steel** Compatible with Zintra Acoustic Solutions up to 1" (24mm) thick Notes: Used With: Panels, Patterns, Etch & Emboss



## Standoff - 2.5" (65mm)

Finish: **Brushed Stainless Steel** Compatible with Zintra Acoustic Solutions up to 1" (24mm) thick Notes: Used With: Panels, Patterns, Etch & Emboss



## **Z-Clips**

Dimensions: 1.5" (38mm) or 72" (1829mm) Aluminium mill finish Finish: Notes: Sold as pairs Used With: Panels, Etch & Patterns with Backer



## Non Destructive Removable Fixing - NDRF

Dimensions: 2" (51mm) w x 1" (25mm) h x 0.2" (4mm) d Sold as a kit - 12 pairs Notes: Used With: Panels, Patterns, Etch, Textures & Plain Tiles



# Notes:

Used With: Floor to Ceiling Cable Kit

Finish: Notes:





Minimum of (2) Roller Kit required for 1/2" (12mm) panels 48" (1220mm) wide or less (3) Roller Kit required for panels wider than 48" (1220mm) Requires Double Sliding Track (sold separately) Kit includes roller and fixing plate Not suitable for 1" (24mm) products

**Brushed Stainless Steel** Requires Floor to Ceiling Cable Kit (sold separately) Compatible with Zintra 1/2" (12mm) Sheets only

**Brushed Stainless Steel** Requires Floor to Ceiling Cable Kit (sold separately) Compatible with Zintra 1/2" (12mm) Panels only

**Brushed Stainless Steel** Requires Floor to Ceiling Cable Kit (sold separately) Compatible with Zintra 1/2" (12mm) Sheets only Used With: Floor to Ceiling Cable Kit

Requires Side Gripper Single, Side Gripper Double or Cable Standoff (sold separately)

## TRIMS

## J-Trim

Dimensions:0.5" (12mm) x 1" (25 mm) x 108" (2743mm)Finish:Satin AluminiumNotes:Compatible with Zintra ½" (12mm) Sheets onlyUsed With:Panels, Patterns, Etch & Textures



## L-Angle 1" (25mm) X 1" (25mm)

Dimensions:1" (25mm) x 1" (25mm) x 108" (2743mm)Finish:Satin AluminiumUsed With:Panels, Patterns, Etch & Textures



## L-Angle 1/2" (12mm) X 1" (25mm)

Dimensions:1" (25mm) x 0.5" (12mm) x 108" (2743mm)Finish:Satin AluminiumUsed With:Panels, Patterns, Etch & Textures



## **Radius Trim**

Dimensions:1" (24mm) x 1" (24mm) x 108" (2743mm)Finish:Satin AluminiumNotes:Compatible with Zintra ½" Sheets only<br/>Custom finishes available for an additional feeUsed With:Panels, Patterns, Etch & Textures

## **Powder Coat Colors**

12 Powder Coat Colors available for selected Baffles and Sticks products.











+ 847 437 4000 info@mdcwall.com mdc.is/zintra

COVER: Product: Zintra Mesh Baffles Offset | Color: Premium Wood White Oak