



Zintra Embossed Ceiling Tile


Installation Instructions


Suspended Grid


These are 10 different emboss styles.















TAPESTRY


SANDGLASS


CONSTELLATION

CUMULUS









TIDAL

DAMASK

LINKED

MOLECULAR



Zintra Embossed Ceiling Tile

Installation Instructions


Suspended Grid

PARTS & HARDWARE




THIS WILL SUIT


15/16" [23.8MM] FACE T-GRID OR 9/16" [14.3MM] FACE T-GRID



YOU WILL NEED



MEASUREMENTS



Ceiling Tiles	Trimmed Size
Constellation	600mm[23.62"] x 600mm[23.62]
Corduroy	600mm[23.62"] x 600mm[23.62]
Cumulu	600mm[23.62"] x 600mm[23.62]
Damask	600mm[23.62"] x 600mm[23.62]
Jungle	600mm[23.62"] x 600mm[23.62]
Linked	600mm[23.62"] x 600mm[23.62]
Molecular	600mm[23.62"] x 600mm[23.62]
Sandglass	600mm[23.62"] x 600mm[23.62]
Tapestry	600mm[23.62"] x 600mm[23.62]
Tidal	600mm[23.62"] x 600mm[23.62]

Note: ceiling grid is not included. Ensure Zintra emboss ceiling tiles will fit the specified ceiling grid based on measurements above




Zintra Embossed Ceiling Tile


Installation Instructions

Suspended Grid

INSTRUCTIONS




1. Slide in Ceiling Tiles into Grid. **Ensure ceiling tiles sit flush.**



2. Measure grid opening and any fire spinkler's, lights, speakers and ceiling protrusions.

Mark with pencil and cut 0.5" Zintra to fit in. use either knife or jigsaw with bosch knife blade



RCP: Looking up

Note:

Plain 1/2" zintra panels are available for trimmed tiles (against walls), or where services penetrate.