Clean Vinyl Technology® (CVT) Wallcovering with Bio-Based Content and Non-Woven Backing by Len-Tex Corporation



Health Product Declaration v2.3

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 1606126592

CLASSIFICATION: 09 72 16.13 Flexible Vinyl Wall Coverings

PRODUCT DESCRIPTION: Len-Tex Clean Vinyl Technology® (CVT) Wallcovering with Bio-Based Content and Non-Woven Backing with various

designs, including weight (15 oz, 20 oz, 24 oz, 28 oz, 32 oz) and style (Metallized PET Film, Prints, Colors) options.



Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

C Nested Materials Method

Basic Method

Threshold Disclosed Per

Material

Product

Threshold Level

C 100 ppm

€ 1,000 ppm

C Per GHS SDS

Other

Residuals/Impurities Evaluation

Completed

C Partially Completed

Not Completed

Explanation(s) provided:

Yes ○ No

For all contents above the threshold, the manufacturer has:

Characterized

⊙ Yes ○ No

Yes ○ No

Provided weight and role.

Screened

Provided screening results using HPDC-approved

methods.

Identified ○ Yes ⊙ No

Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY **GREENSCREEN SCORE** | HAZARD TYPE

CLEAN VINYL TECHNOLOGY® (CVT) WALLCOVERING WITH BIO-**BASED CONTENT AND NON-WOVEN BACKING [POLYVINYL** CHLORIDE LT-P1 | MAM EPOXIDIZED SOYBEAN OIL LT-P1 | AQU LIMESTONE, CALCIUM CARBONATE BM-3dg ALUMINA TRIHYDRATE (PRIMARY CASRN IS 21645-51-2) BM-2 | SKI | EYE PULP, CELLULOSE Nogs acetyltributyl citrate BM-3 | MUL | AQU POLYVINYL CHLORIDE LT-P1 | MAM WATER BM-4 CELLULOSE LT-UNK TITANIUM DIOXIDE BM-1 * | CAN | END | MAM CALCIUM ZINC COMPLEX POLYETHYLENE TEREPHTHALATE (PET) LT-P1 UNDISCLOSED BM-4 2-PROPENOIC ACID, 2-METHYL-, METHYL ESTER, POLYMER WITH BUTYL 2-PROPENOATE AND ETHENYLBENZENE LT-UNK BUTYL ACRYLATE-METHYL METHACRYLATE COPOLYMER LT-UNK ETHENE, HOMOPOLYMER, OXIDIZED LT-UNK THIABENDAZOLE LT-P1 | MUL | REP | AQU | MAM PYRITHIONE ZINC BM-1 | REP | MUL | MAM | AQU | EYE | DEV | SKI]

Number of Greenscreen BM-4/BM3 contents ... 4

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1, BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Antimicrobial Pesticides Reporting: This product contains substance(s) that are intentionally added above the [Product - 1,000 ppm] threshold to act as antimicrobials. See Substance Notes and General Notes for more information.

Information is not available as to whether the product contains substance(s) that are intentionally added below the selected threshold to act as antimicrobials.

Special Conditions applied: [GeologicalMaterial]

Calcium Zinc Complex does not have a registered CAS# and as such cannot be Registered in the ID field as stated in the HPD Open Standard. All material components, including all substances screened using Priority Hazard Lists with results, are fully disclosed in this HPD.

*Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. For this reason, this score is intentionally omitted from the "Contents highest concern" line above. See HPDC's Special Conditions policy for more information.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: SCS Indoor Advantage Gold - Classroom & Office scenario

VOC emissions: CHPS High Performance Products Database - Low **Emitting Material**

LCA: Environmental Product Declaration (EPD) by SCS Multi-attribute: GreenCircle - Recycled Content

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

PREPARER: Self-Prepared

SCREENING DATE: 2025-02-18

C Yes

VERIFIER:

PUBLISHED DATE: 2025-02-18

No

VERIFICATION #:

EXPIRY DATE: 2028-02-18

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

CLEAN VINYL TECHNOLOGY® (CVT) WALLCOVERING WITH BIO-BASED CONTENT AND NON-WOVEN BACKING

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: A Residuals and Impurities evaluation has been completed in alignment with the HPD best practices. Clean Vinyl Technology® (CVT) Wallcovering with Bio-Based Content and Non-Woven Backing does not have evidence for the presence of R/I based on direct testing, supplier SDS, and/or other supplier documentation. There are not any additional/alternate substances used in the Product/Material at or above the declared Inventory Threshold. This product cannot be considered a "Common Product", as listed in Pharos. No Residuals or Impurities are expected to be present at or above Content Inventory Threshold that return a GreenScreen score of BM-1, LT-1, LT-P1 or NoGS.

OTHER PRODUCT NOTES:

POLYVINYL CHLORIDE					ID: 9002-86-2
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	/	HAZAI	RD SCREENING DATE:	2025-02-18 11:57:03
%: 31.9200 - 31.9200	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE:	Structure component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
MAM	GHS - Japan		-	cause respiratory irritation - Single exposure - Cate	
MAM	GHS - Japan		repeated exp	es damage to organs thro osure [Specific target org eated exposure - Catego	gans/systemic toxicity
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	ON	
RESTRICTED LIST	Perkins+Will (P+W)		P&W - Preca	utionary List	
			Precautionar avoidance	y list of substances recor	nmended for
RESTRICTED LIST	Cradle to Cradle Products Innov (C2CPII)	ation Institute		d v4.0 Product Standard I List (RSL) - Effective July	
			Core Restrict	tions	
RESTRICTED LIST	International Living Future Instit	ute (ILFI)	•	ng Challenge 4.0 - Red Li Effective February 1, 202	
			Red List subs V4.0 projects	stances to avoid in Living	Building Challenge
RESTRICTED LIST	Cradle to Cradle Products Innov (C2CPII)	ation Institute		d v4.1 Product Standard l Effective July 1, 2024	Restricted
				Organohalogens and Fuasses of Concern	ınctionally Related

EPOXIDIZED SOYBEAN OIL ID: 8013-07-8

HAZARD DATA SOURCE: I	Pharos Chemical and Materials Librar	у	HAZAI	RD SCREENING DATE: 2025-02-18 11:57:52
%: 16.3400 - 16.3400	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
AQU	GHS - New Zealand		Hazardous to	the aquatic environment - chronic category 2
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	N
None found				No listings found on Additional Hazard Lists
SUBSTANCE NOTES:				

LIMESTONE, CALCIUM CARBONATE HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2025-02-18 11:58:32

Mone found

GreenScreen: BM-3dg

RC: None

NANO: No

SUBSTANCE ROLE: Structure component

WARNINGS

None found

None found

NOTIFICATION

No listings found on Additional Hazard Lists

No listings found on Additional Hazard Lists

ALUMINA TRIHYDRATE (PRIMARY CASRN IS 21645-51-2)

SUBSTANCE NOTES:

ID: **8064-00-4**

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARD	O SCREENING DATE: 2025-02-18 11:59:22
%: 7.6000 - 7.6000	GreenScreen: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Flame retardant
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
SKI	GHS - New Zealand		Skin irritation ca	ategory 2
EYE	GHS - New Zealand		Eye irritation ca	tegory 2

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024
		Children's Toy Products
OLIDOTANIOE NOTEO		

SUBSTANCE NOTES:

PULP, CELLULOSE	ID: 65996-61-4
HAZARD DATA SOURCE: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2025-02-18 12:14:26

HAZARD DATA SOURCE:	Pharos Chemical and Materials Libra	ary	HAZAF	RD SCREENING DATE: 2025-02-18 12:14:26
%: 5.7400 - 5.7400	GreenScreen: NoGS	RC: PostC	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No	warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATIO	NO
EXEMPT	European Union / European C	Commission (EU	EU - REACH	Exemptions
	EC)		Exempted fro safety	m REACH Annex IV listing due to intrinsic

SUBSTANCE NOTES: The Non-Woven Backing features post-consumer recycled paper pulp, SCS Recycled Content Certified for a minimum 55% post-consumer recycled PET and wood pulp content.

ACETYLTRIBUTYL CITRATE ID: 77-90-7

HAZARD DATA SOURCE	: Pharos Chemical and Materials Libi	rary	HAZARD S	SCREENING DATE: 2025-02-18 12:00:12
%: 5.7000 - 5.7000	GreenScreen: BM-3	RC: None	NANO: No	SUBSTANCE ROLE: Adhesive
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MUL	German FEA - Substances F Waters	Hazardous to	Class 3 - Severe	Hazard to Waters
AQU	GHS - New Zealand		Hazardous to the	aquatic environment - acute category 1
AQU	GHS - New Zealand		Hazardous to the	aquatic environment - chronic category 1

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List
		Some Solvents

SUBSTANCE NOTES: This material is certified 30% bio-based by the USDA BioPreffered program.

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARD S	SCREENING DATE: 2025-02-18 12:00:52
%: 3.8000 - 3.8000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Adhesive
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MAM	GHS - Japan			e respiratory irritation [Specific target ngle exposure - Category 3]
MAM	GHS - Japan		repeated exposur	amage to organs through prolonged or e [Specific target organs/systemic toxicity d exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Perkins+Will (P+W)		P&W - Precaution	nary List
			Precautionary list avoidance	of substances recommended for
RESTRICTED LIST	Cradle to Cradle Products Innovat (C2CPII)	ion Institute		0 Product Standard Restricted RSL) - Effective July 1, 2022
			Core Restrictions	
RESTRICTED LIST	International Living Future Institute	e (ILFI)		nallenge 4.0 - Red List of Materials & tive February 1, 2025
			Red List substand V4.0 projects	ces to avoid in Living Building Challenge
RESTRICTED LIST	Cradle to Cradle Products Innovat (C2CPII)	ion Institute	C2C Certified v4. Substances - Effe	1 Product Standard Restricted active July 1, 2024
			Avoidance of Org Chemical Classes	anohalogens and Functionally Related s of Concern
SUBSTANCE NOTES:				

SUBSTANCE NOTES:

POLYVINYL CHLORIDE

WATER					ID: 7732-18-5
HAZARD DATA SOURCE: Pharos Chemical and Materials Library				HAZAF	RD SCREENING DATE: 2025-02-18 12:18:16
	%: 3.7240 - 3.7240	GreenScreen: BM-4	RC: None	NANO: No	SUBSTANCE ROLE: Structure component
	HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
	None found			No	warnings found on HPD Priority Hazard Lists

ID: 9002-86-2

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
EXEMPT	European Union / European Commission (EU EC)	EU - REACH Exemptions
	,	Exempted from REACH Annex IV listing due to intrinsic safety
SUBSTANCE NOTES: This subst	ance acts as the binder in the non-woven backing	

CELLULOSE ID: 9004-34-6

HAZARD DATA SOURCE: I	Pharos Chemical and Materials Library	1	HAZAI	RD SCREENING DATE: 2	2025-02-18 12:10:05
%: 3.6400 - 3.6400	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Sti	ructure component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No	warnings found on HPD F	Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	NC	
None found				No listings found on Add	litional Hazard Lists
SUBSTANCE NOTES:					

TITANIUM DIOXIDE				ID: 13463-67-7
HAZARD DATA SOURCE:	Pharos Chemical and Materials Li	brary	HAZA	RD SCREENING DATE: 2025-02-18 12:02:16
%: 3.0400 - 3.0400	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE	≣	WARNINGS	
CAN	US CDC - Occupational Ca	arcinogens	Occupationa	I Carcinogen**
CAN	CA EPA - Prop 65		Carcinogen -	specific to chemical form or exposure route**
CAN	IARC			Possibly carcinogenic to humans - inhaled tional sources**
CAN	MAK		•	Group 3A - Evidence of carcinogenic effects ient to establish MAK/BAT value**
END	TEDX - Potential Endocrine	e Disruptors	Potential End	docrine Disruptor**
CAN	MAK		•	Group 4 - Non-genotoxic carcinogen with low AK/BAT levels**
CAN	IARC		Group 2b - P	lossibly carcinogenic to humans**
CAN	EU - GHS (H-Statements)	Annex 6 Table 3-1	H351 - Susp Category 2]*	ected of causing cancer [Carcinogenicity - *
CAN	GHS - Japan		H351 - Susp Category 2]*	ected of causing cancer [Carcinogenicity -
MAM	GHS - Japan		repeated exp	es damage to organs through prolonged or posure [Specific target organs/systemic toxicity eated exposure - Category 1]**

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Formulated Consumer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Cosmetics & Personal Care Products
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemicals Ingredients list (SCIL)
		Colorants - Green Circle (Verified Low Concern)
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024
		Cosmetics and Personal Care Products

SUBSTANCE NOTES: **Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

CALCIUM ZINC COMPLEX ID: Geological Material

HAZARD DATA SOURCE: HPDC Special Conditions Policy

%: 3.0400 - 3.0400 GreenScreen: Not Required RC: None NANO: No MATERIAL ROLE: Stabilizer

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

Hazard Screening is not applicable to this Special Condition

INGREDIENT DESCRIPTION AND COMPOSITION: Proprietary blend of Calcium and Zinc to act as a PVC film stabilizer.

COUNTRY OF ORIGIN: United States

RADIOACTIVE ELEMENTS: According to supplier provided information and/or internal testing, it is determined that no radioactive elements are found in this material.

POTENTIAL PRESENCE OF TOXIC METALS: According to supplier provided information and/or internal testing, it is determined that no toxic metals are found in this material.

MATERIAL CONTENT NOTES: Calcium Zinc Complex does not have a registered CAS# and as such cannot be Registered in the ID field as stated in the HPD Open Standard. All material components, including all substances screened using Priority Hazard Lists with results, are fully disclosed in this HPD.

POLYETHYLENE TEREPHTHALATE (PET)

ID: **25038-59-9**

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2025-02-18 12:15:43

%: 1.5400 - 1.5400	GreenScreen: LT-P1	RC: PostC	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No	warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATIO	N
None found				No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The Non-Woven Backing features post-consumer recycled Polyethylene Terephthalate (PET), SCS Recycled Content Certified for a minimum 55% post-consumer recycled PET and wood pulp content.

UNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE:	Pharos Chemical and Materials Librar	у	HAZAI	RD SCREENING DATE: 2025-02-18 12:03:36
%: 0.7980 - 0.7980	GreenScreen: BM-4	RC: None	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No	o warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	ON
EXEMPT	European Union / European Co	ommission (EU	EU - REACH	Exemptions
			Exempted from safety	om REACH Annex IV listing due to intrinsic

2-PROPENOIC ACID, 2-METHYL-, METHYL ESTER, POLYMER WITH BUTYL 2-PROPENOATE AND ETHENYLBENZENE

SUBSTANCE NOTES: Inert, non-hazardous material included in the Antimicrobial additive.

ID: 27136-15-8

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZAF	RD SCREENING DATE: 2025-02-18 12:04:39
%: 0.7600 - 0.7600	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No	warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATIO	DN
None found				No listings found on Additional Hazard Lists
SUBSTANCE NOTES:				

BUTYL ACRYLATE-METHYL METHACRYLATE COPOLYMER

ID: **25852-37-3**

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2025-02-18 12:05:32

%: 0.3800 - 0.3800	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No	o warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	ON
None found				No listings found on Additional Hazard Lists
SUBSTANCE NOTES:				

ETHENE, HOMOPOLYMER, OXIDIZED			ID: 68441-17-8	
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZAI	RD SCREENING DATE: 2025-02-18 12:06:16
%: 0.3800 - 0.3800	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No	warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	N
None found				No listings found on Additional Hazard Lists

THIABENDAZOLE

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2025-02-18 12:07:44

%: 0.1710 - 0.1710

GreenScreen: LT-P1

RC: None NANO: No SUBSTANCE ROLE: Antimicrobial Pesticide

SUBSTANCE NOTES:

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - Australia	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List
		Antimicrobials

SUBSTANCE NOTES: The Antimicrobial additive has passed the most stringent testing procedures for safety and efficacy to meet international regulatory guidelines. There are options that are US EPA registered, BPR compliant and Oeko-Tex listed. The supplier is a proud member of CertiPUR-US, EUROPUR, VinylPlus, The British Allergy Foundation, Polyurethane Foam Association, and the Plastics Industry Association while also working with testing organizations such as the ASTM and the AATCC.

Clean Vinyl Technology® has undergone ASTM G21 and ISO 22196 testing. EPA Registration Number: 92760-9

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZ	ARD SCREENING DATE: 2025-02-18 12:08:39
%: 0.1710 - 0.1710	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Antimicrobial Pesticide
HAZARD TYPE	LIST NAME AND SOURCE		WARNING	S
REP	EU - Annex VI CMRs		Reproductiv	ve Toxicity - Category 1B
MUI	German FFA - Substances Haza	rdous to	Class 2 - H	azard to Waters

Waters

PYRITHIONE ZINC

ID: 13463-41-7

REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]
DEV	EU - GHS (H-Statements) Annex 6 Table 3-1	H360D - May damage the unborn child [Reproductive toxicity - Category 1A or 1B]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - Australia	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
MAM	GHS - Australia	H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]
MAM	GHS - Australia	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]
EYE	GHS - Australia	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]
MAM	GHS - Japan	H330 - Fatal if inhaled [Acute toxicity (inhalation: dust, mist) - Category 2]
MAM	GHS - Japan	H301 - Toxic if swallowed [Acute Toxicity (oral) - Category 3]

REP	EU - REACH Annex XVII CMRs	Reproductive toxicants: Category 1B
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List
		Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List
		Antimicrobials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Formulated Consumer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Cosmetics & Personal Care Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024
		All Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024
		Children's Toy Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024
		Cosmetics and Personal Care Products

SUBSTANCE NOTES: The Antimicrobial additive has passed the most stringent testing procedures for safety and efficacy to meet international regulatory guidelines. There are options that are US EPA registered, BPR compliant and Oeko-Tex listed. The supplier is a proud member of CertiPUR-US, EUROPUR, VinylPlus, The British Allergy Foundation, Polyurethane Foam Association, and the Plastics Industry Association while also working with testing organizations such as the ASTM and the AATCC.

Clean Vinyl Technology® has undergone ASTM G21 and ISO 22196 testing. EPA Registration Number: 92760-9

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

ISSUE DATE: 2024-10-01 00:00:00

EXPIRY DATE: 2025-09-30 00:00:00

VOC EMISSIONS SCS Indoor Advantage Gold - Classroom & Office scenario

CERTIFYING PARTY: Third Party
APPLICABLE FACILITIES: Applicable to all Clean Vinyl

Technology® with bio-based content material manufactured

by Len-Tex Corporation facilities (including products with

Metallized PET).

CERTIFICATE URL: https://lentexwallcoverings.com/wp-content/uploads/2024/09/LenTex_2024_SCS-IAQ-

02056_s.pdf

CERTIFICATION AND COMPLIANCE NOTES: Measured Concentration of Total Volatile Organic Compounds (TVOC): Between 0.5 – 5.0 mg/m3 (in

compliance with CDPH/EHLB Standard Method v1.2-2017).

VOC EMISSIONS CHPS High Performance Products Database - Low Emitting Material

CERTIFYING PARTY: Third Party

APPLICABLE FACILITIES: Applicable to all Clean Vinyl

Technology® with bio-based content material manufactured by Len-Tex Corporation facilities (including products with

Metallized PET).

CERTIFICATE URL: https://lentexwallcoverings.com/wp-

content/uploads/2023/04/Lentex_CHPS-

Certificate_2020_.pdf

ISSUE DATE: 2020-10-30 00:00:00

EXPIRY DATE:

CERTIFIER OR LAB: Berkeley Analytical, Collaborative for High Performance Schools

CERTIFIER OR LAB: Berkeley

Analytical, SCS Global Services

CERTIFICATION AND COMPLIANCE NOTES: Reference Standards: 1. CHPS Core Criteria v3, EQ P6.0, EQ C6.1, EQ C7.1, and MW C5.1 -

https://chps.net/criteria 2. CDPH/EHLB/Standard Method V1.2 (January 2017)

LCA Environmental Product Declaration (EPD) by SCS

CERTIFYING PARTY: Third Party

APPLICABLE FACILITIES: Applicable only to Clean Vinyl

Technology® wallcoverings with bio-based content and non-woven backing manufactured by Len-Tex Corporation facilities (excludes products with Metallized PET).

CERTIFICATE URL: https://lentexwallcoverings.com/wp-

content/uploads/2025/02/SCS-EPD-10016_Len-

Tex_NonWovenVinylWallcovering.pdf

CERTIFICATION AND COMPLIANCE NOTES: This EPD conforms to ISO 14025, 14040, 14044, ISO 21930, Building-Related Products and Services - Part A: LCA Calculation Rules and Report Requirements UL v3.2, and PCR Guidance for Building-Related Products and Services, Part B: Wall and Door Protection EPD Requirements UL 10010-10.

ISSUE DATE: 2023-08-01 00:00:00

EXPIRY DATE: 2026-07-31 00:00:00

MULTI-ATTRIBUTE GreenCircle - Recycled Content

CERTIFYING PARTY: Third Party

APPLICABLE FACILITIES: Applicable to Clean Vinyl

Technology® wallcoverings with bio-based content and nonwoven backing manufactured by Len-Tex Corporation facilities, including a separate label for products with

Metallized PET.

CERTIFICATE URL: https://lentexwallcoverings.com/wp-content/uploads/2024/07/CEF-Label-Non-Woven-Backing-

Fig. 1 and

Final.pdf

CERTIFICATION AND COMPLIANCE NOTES: The first and only GreenCircle Certified wallcovering, achieving Certified Environmental Facts® label for all Clean Vinyl Technology® types. Recycled Content 7% Post-Consumer.

BIOBASED CONTENT

GreenCircle - Rapidly Renewable Resource Content

CERTIFIER OR LAB: GreenCircle

Certified®

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Applicable to Clean Vinyl

Technology® wallcoverings with bio-based content and nonwoven backing manufactured by Len-Tex Corporation facilities, includes a separate label for products with

Metallized PET.

CERTIFICATE URL: https://lentexwallcoverings.com/wpcontent/uploads/2024/07/CEF-Label-Woven-Backing-

CERTIFICATION AND COMPLIANCE NOTES: The first and only GreenCircle Certified wallcovering, achieving Certified Environmental Facts® label for all Clean Vinyl Technology® types. Bio-based content 38% based on ASTM D6866 methodology.

ISSUE DATE: 2023-08-01 00:00:00

EXPIRY DATE: 2026-07-31 00:00:00



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

ROMAN DECORATING ADHESIVES

MANUFACTURER (OR GENERIC): ROMAN Products

HPD URL: No HPD Available ACCESSORY TYPE: Adhesive

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Recommended adhesives used for installations of the wallcovering product; Roman Decorating Adhesives do not contain any VOC content: https://romandecoratingproducts.com/eco-options/

Section 5: General Notes

Throughout the history of Len-Tex, the focus has been on eliminating ingredients of the greatest human health concern and expanding the sustainability program. You can learn more here through the Sustainability Field Guide:

https://indd.adobe.com/view/54c32171-2b45-4ec5-90f1-031b4f6ab4ee

Len-Tex is the only GreenCircle Certified® wallcovering on the market, has HPDs, SmartWay Transport Partners, third-party verified EPDs, SCS Indoor Advantage Gold, and is a CHPS Approved Product. Len-Tex has passed the CDPH standard (Section 01350) for VOCs, and is CA Prop 65 Compliant with no labelling necessary. Len-Tex is also a signatory on the mindful MATERIALS Manufacturer Materials Commitment. Here is a link to the commitment:

https://www.mindfulmaterials.com/manufacturer-materials-commitment

Clean Vinyl Technology® also includes an antimicrobial. Vinyl films (and wallcoverings) are an effective moisture barrier, trapping moisture from leakage or condensation in the wall cavity and creating an environment for mold and mildew growth. The mold and mildew typically grew behind the wallcovering potentially creating very unhealthy interiors. Arsenate-based biocides are very effective when compounded into the vinyl film, but are arsenic – a poison and a recognized carcinogen. To eliminate this potential contamination, Clean Vinyl Technology® films use a safe antimicrobial/antifungal. In wallcovering testing, it helps prevent 99.99% of bacteria as tested under ISO 22196 and 100% of fungal growth as tested under ASTM G21. This effective treatment lasts for the life of the wallcovering.

Len-Tex Clean Vinyl Technology® with bio-based content and non-woven backing tests via ASTM D6866 up to 38% bio-based because of our commitment to further product sustainability. The replacement of Barium, Antimony, and Ortho-Phthalates among others is something Len-Tex is proud of achieving. Furthermore, third-party laboratory testing shows pass ratings on the wallcovering for heavy metals, ortho-phthalates, formaldehyde, antimony, arsenic, among others. Len-Tex wallcoverings also have various fire test, mold, bacteria, and mildew test ratings among others. Clean Vinyl Technology® can be found on Ecomedes, mindful MATERIALS, Sustainable Minds, GreenCircle Brands You Can Trust, and the SCS Green Products Guide.

PVC is also highly recyclable. Len-Tex has a takeback program displaying commitment to Extended Producer Responsibility, along with recycling all vinyl wallcovering scrap during manufacturing. The money from that program goes back to the manufacturing employees. Through this continued work, Len-Tex is proud to offer a long lasting, durable product that is as beautiful as it is sustainable.

CERTIFIER OR LAB: GreenCircle

Certified®

MANUFACTURER INFORMATION

MANUFACTURER: Len-Tex Corporation

ADDRESS: 18 Len Tex Lane

North Walpole, New Hampshire 03609

COUNTRY: United States

WEBSITE: https://lentexwallcoverings.com/

CONTACT NAME: Mackenzie Roof TITLE: Sustainability Coordinator

PHONE: **6034457501**

EMAIL: mackenzier@lentexcorp.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material

Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

